



INDEX TO SCIENTIFIC NAMES

The pages of the colour plates are not numbered; figures in **bold type** are page numbers of the facing page.


- Acanthis cannabina* 1302
flavivirostris 1302
Acridotheres cinereus 1892
tristis 1937, **769**
Acrocephalus australis 1605, **1561**
orientalis 1623, **1561**
stentoreus (see *australis*)
acutirostris (*Heteralocha*) 1014
acuticauda (*Poephila*) 1139, **1144**
Ailuroedus crassirostris 838, **864**
melanotis 827, **864**
Alauda arvensis 1039, **993**
 ALAUDIDAE 1018
alba (*Motacilla*) 1426, **1400**
albugularis (*Zosterops*) 1798, **1752**
albonotatus (*Euplectes*) 1097
alecto (*Myiagra*) 114, **97**
antarcticus (*Anthus*) 1389, **1369**
Anthus antarcticus 1389, **1369**
campestris 1400
cervinus 1395, **1400**
gustavi 1391, **1400**
novaeseelandiae 1359, **1369**
Aplonis cantoroides 1903, **1849**
fusca 1895
metallica 1896, **1849**
ariel (*Hirundo*) 1568, **1529**, **1560**
Arses kaupi 77, **65**
telescopthalmus 71, **65**
 ARTAMIDAE 396
Artamus cinereus 438, **480**
cyanopterus 453, **480**
leucorynchus 399, **385**
minor 473, **480**
personatus 412, **385**
superciliosus 424, **385**
arvensis (*Alauda*) 1039, **993**
atricapilla (*Sylvia*) 1597
australis (*Acrocephalus*) 1605, **1561**
bella (*Stagonopleura*) 1224, **1240**
bennetti (*Corvus*) 745, **737**
bichenovii (*Taeniopygia*) 1127, **1113**
borealis (*Phylloscopus*) 1601, **1720**
Bowdleria punctata 1649, **1720**
rufescens 1667
bracteatus (*Dicrurus*) 249, **225**
cafer (*Pycnonotus*) 1587
Callaeas cinerea 965, **992**
 CALLAEIDAE 963
 CAMPEPHAGIDAE 263
campestris (*Anthus*) 1400
canarius (*Serinus*) 1302
cannabina (*Acanthis*) 1302
cantoroides (*Aplonis*) 1903, **1849**
capensis (*Turnagra*) 958, **992**
Cardinalis cardinalis 1446
cardinalis (*Cardinalis*) 1446
carduelis (*Carduelis*) 1328, **1273**
Carduelis carduelis 1328, **1273**
chloris 1315, **1273**
flammea 1345, **1368**
spinus 1302
carteri (*Eremiornis*) 1667, **1720**
carunculatus (*Philesturnus*) 986, **992**
castaneothorax (*Lonchura*) 1261, **1241**
Catharus guttata 1802
cerviniventris (*Chlamydera*) 950, **865**
cervinus (*Anthus*) 1395, **1400**
Cheramoea leucosternus 1499, **1529**, **1560**
Chlamydera cerviniventris 950, **865**
guttata 928, **897**
maculata 915, **897**
nuchalis 936, **897**
chloris (*Carduelis*) 1315, **1273**
chrysocephalus (*Sericulus*) 873, **896**
Cincloramphus cruralis 1686, **1721**
mathewsi 1674, **1721**
cincta (*Poephila*) 1148, **1144**
cinerea (*Callaeas*) 965, **992**
cinerea (*Motacilla*) 1422, **1401**
cinerea (*Struthidea*) 797, **768**
cinereus (*Acridotheres*) 1892
cinereus (*Artamus*) 438, **480**
cirlus (*Emberiza*) 1457, **1368**
Cisticola exilis 1712, **1561**
juncidis 1700, **1561**
citreola (*Motacilla*) 1415, **1401**
citrinella (*Emberiza*) 1449, **1368**
citrinellus (*Zosterops*) 1734, **1752**
Coccothraustes coccothraustes 1302
coccothraustes (*Coccothraustes*) 1302
coelebs (*Fringilla*) 1305, **1273**
collurio (*Lanius*) 822
communis (*Sylvia*) 1597
Coracina lineata 286, **257**
maxima 317, **257**
novaehollandiae 266, **256**
papuensis 291, **256**
tenuirostris 305, **257**
 CORCORACIDAE 773
Corcorax melanorhampus 775, **768**
coronoides (*Corvus*) 690, **736**
 CORVIDAE 671
Corvus bennetti 745, **737**
coronoides 690, **736**
frugilegus 678, **737**
mellori 729, **736**
monedula 671
orru 757, **737**
splendens 770, **736**
tasmanicus 717, **736**
Cracticus mentalis 511, **512**
nigrogularis 516, **481**
quoyi 482, **481**
torquatus 490, **512**
crassirostris (*Ailuroedus*) 838, **864**
cristatus (*Lanius*) 818, **769**
cruralis (*Cincloramphus*) 1686, **1721**
cyanoleuca (*Grallina*) 134, **225**
cyanoleuca (*Myiagra*) 104, **96**
cyanomelana (*Cyanoptila*) 1817, **1848**
cyanopterus (*Artamus*) 453, **480**
Cyanoptila cyanomelana 1817, **1848**
dasyptus (*Hirundo*) 1583, **1529**, **1560**
daurica (*Hirundo*) 1549, **1529**, **1560**
dentirostris (*Scenopoeetes*) 848, **865**
 DICAIEIDAE 1474
Dicaeum geelvinkianum 1491, **1528**
hirundinaceum 1476, **1528**
 DICRURIDAE 33
Dicrurus bracteatus 249, **225**
domesticus (*Passer*) 1070, **1112**
Emberiza cirlus 1457, **1368**
citrinella 1449, **1368**
hortulana 1446
schoeniclus 1446
 EMBERIZIDAE 1446
Emblema pictum 1243, **1145**
Eremiornis carteri 1667, **1720**
Erithacus rubecula 1802
Erythrura gouldiae 1290, **1272**
trichroa 1284, **1272**
 ESTRILDIDAE 1098
Euplectes albonotatus 1097
orix 1097
exilis (*Cisticola*) 1712, **1561**
fasciolata (*Locustella*) 1629
Ficedula narcissina 1813, **1848**
flammea (*Carduelis*) 1345, **1368**
flava (*Motacilla*) 1401, **1401**
flaviprymna (*Lonchura*) 1256, **1241**
flavivirostris (*Acanthis*) 1302
flaviventer (*Machaerirhynchus*) 37, **65**
flavocinctus (*Oriolus*) 359, **353**
frater (*Monarcha*) 50, **64**
Fringilla coelebs 1305, **1273**
montifringilla 1302
 FRINGILLIDAE 1302
frugilegus (*Corvus*) 678, **737**
fuliginosa (*Rhipidura*) 174, **224**
fuliginosa (*Strepera*) 556, **513**, **608**
fusca (*Aplonis*) 1895
geelvinkianum (*Dicaeum*) 1491, **1528**
gouldiae (*Erythrura*) 1290, **1272**
Gracula religiosa 1892
graculina (*Strepera*) 529, **513**, **608**
Grallina cyanoleuca 134, **225**
gramineus (*Megalurus*) 1638, **1720**
gustavi (*Anthus*) 1391, **1400**
guttata (*Catharus*) 1802
guttata (*Chlamydera*) 928, **897**
guttata (*Stagonopleura*) 1212, **1240**
guttata (*Taeniopygia*) 1102, **1113**
Gymnorhina tibicen 579, **609**
heinei (*Zoothera*) 1836, **1816**
Heteralocha acutirostris 1014
Heteromunia pectoralis 1278, **1272**
hirundinaceum (*Dicaeum*) 1476, **1528**
 HIRUNDINIDAE 1495
Hirundo ariel 1568, **1529**, **1560**
dasyptus 1583, **1529**, **1560**
daurica 1549, **1529**, **1560**
neoxena 1517, **1529**, **1560**
nigricans 1553, **1529**, **1560**
rustica 1508, **1529**, **1560**
tahitica 1548
hortulana (*Emberiza*) 1446
hypoxanthus (*Ploceus*) 1097
 ICTERIDAE 1445
inquieta (*Myiagra*) 121, **97**
isabellina (*Oenanthe*) 1809, **1848**
javanica (*Mirafra*) 1021, **993**
jocosus (*Pycnonotus*) 1589, **769**
jugularis (*Nectarinia*) 1464, **1528**
juncidis (*Cisticola*) 1700, **1561**
kaupi (*Arses*) 77, **65**
keraudrenii (*Manucodia*) 663, **641**
Lalage leucomela 344, **352**
leucopygia 353
sueurii 325, **352**
 LANIIDAE 816
Lanius collurio 822
cristatus 818, **769**
lateralis (*Zosterops*) 1745, **1753**
Leiothrix lutea 1597
leucomela (*Lalage*) 344, **352**
leucophrys (*Rhipidura*) 225, **97**






1968 Index to Scientific Index

- leucopygia* (*Tachycineta*) 1585
leucopygia (*Lalage*) 353
leucorhynchus (*Artamus*) 399, 385
leucosternus (*Cheramoeca*) 1499, 1529, 1560
leucotis (*Monarcha*) 64, 65
lineata (*Coracina*) 286, 257
Locustella fasciolata 1629
Lonchura castaneothorax 1261, 1241
 flaviprymna 1256, 1241
 malacca 1097
 oryzivora 1270, 1112
 pallida 1276, 1241
 punctulata 1250, 1241
loyca (*Sturnella*) 1445
lugens (*Motacilla*) 1436, 1400
lunulata (*Zoothera*) 1820, 1816
Luscinia megarhynchos 1802
lutea (*Leiothrix*) 1597
luteus (*Zosterops*) 1737, 1752
Machaerirhynchus flaviventer 37, 65
maculata (*Chlamydera*) 915, 897
magnificus (*Ptiloris*) 654, 641
malacca (*Lonchura*) 1098
Manucodia keraudrenii 663, 641
matheusi (*Cincloramphus*) 1674, 1721
maxima (*Coracina*) 317, 257
Megalurus gramineus 1638, 1720
 timoriensis 1629, 1720
megarhynchos (*Luscinia*) 1802
melanopsis (*Monarcha*) 42, 64
melanorhampbos (*Corcorax*) 775, 768
melanotis (*Ailuroedus*) 827, 864
mellori (*Corvus*) 729, 736
mentalis (*Cracticus*) 511, 512
merula (*Turdus*) 1844, 1817
metallica (*Aplonis*) 1896, 1849
minor (*Artamus*) 473, 480
Mirafra javanica 1021, 993
modesta (*Neochmia*) 1188, 1113
modularis (*Prunella*) 1059, 1112
Monarcha frater 50, 64
 leucotis 64, 65
 melanopsis 42, 64
 trivirgatus 54, 64
monedula (*Corvus*) 671
montanus (*Passer*) 1089, 1112
monticola (*Oenanthe*) 1809
Monticola solitarius 1805, 1816
montifringilla (*Fringilla*) 1302
Motacilla alba 1426, 1400
 cinerea 1422, 1401
 citreola 1415, 1401
 flava 1401, 1401
 lugens 1436, 1400
MOTACILLIDAE 1356
Muscicapa sibirica 1813
MUSCICAPIDAE 1802
Myiagra alecto 114, 97
 cyanoleuca 104, 96
 inquieta 121, 97
 rubecula 88, 96
 ruficollis 82, 96
narcissina (*Ficedula*) 1813, 1848
natalis (*Zosterops*) 1730, 1752
Nectarinia jugularis 1464, 1528
NECTARINIIDAE 1462
Neochmia modesta 1188, 1113
 phaeton 1167, 1145
 ruficauda 1178, 1145
 temporalis 1196, 1240
neoxena (*Hirundo*) 1517, 1529, 1560
newtoniana (*Prionodura*) 860, 865
nigricans (*Hirundo*) 1553, 1529, 1560
nigrogularis (*Cracticus*) 516, 481
novaehollandiae (*Coracina*) 266, 256
novaeseelandiae (*Anthus*) 1359, 1369
nuchalis (*Chlamydera*) 936, 897
oculata (*Stagonopleura*) 1235, 1240
Oenanthe isabellina 1809, 1848
Oenanthe monticola 1809
orientalis (*Acrocephalus*) 1623, 1561
ORIOOLIDAE 356
Oriolus flavocinctus 359, 353
 sagittatus 366, 353
orix (*Euplectes*) 1097
orru (*Corvus*) 757, 737
oryzivora (*Lonchura*) 1270, 1112
pallida (*Lonchura*) 1276, 1241
papuensis (*Coracina*) 291, 256
PARADISAEIDAE 630
paradiseus (*Ptiloris*) 634, 640
Passer domesticus 1070, 1112
 montanus 1089, 1112
PASSERIDAE 1067
pectoralis (*Heteromunia*) 1278, 1272
personata (*Poephila*) 1157, 1144
personatus (*Artamus*) 412, 385
phaeton (*Neochmia*) 1167, 1145
phasiana (*Rhipidura*) 214, 224
Philesturnus carunculatus 986, 992
philomelos (*Turdus*) 1877, 1817
Phylloscopus borealis 1601, 1720
 trochilus 1600
pictum (*Emblema*) 1243, 1145
Piranga rubra 1446
PLOCEIDAE 1097
Ploceus hypoxanthus 1097
Poephila acuticauda 1139, 1144
 cincta 1148, 1144
 personata 1157, 1144
poliocephalus (*Turdus*) 1870, 1817
Prionodura newtoniana 860, 865
Prunella modularis 1059, 1112
PRUNELLIDAE 1057
PTILONORHYNCHIDAE 823
Ptilonorhynchus violaceus 888, 896
Ptiloris magnificus 654, 641
 paradiseus 634, 640
 victoriae 643, 640
punctata (*Bowdleria*) 1649, 1720
punctulata (*Lonchura*) 1250, 1241
PYCNONOTIDAE 1587
Pycnonotus cafer 1587
 jocosus 1589, 769
Pyrrhula pyrrhula 1302
pyrrhula (*Pyrrhula*) 1302
quoyi (*Cracticus*) 482, 481
religiosa (*Gracula*) 1892
Rhipidura fuliginosa 174, 224
 leucophrys 225, 97
 phasiana 214, 224
 rufifrons 160, 224
 rufiventris 218, 224
riparia (*Riparia*) 1586
Riparia riparia 1586
roseus (*Sturnus*) 1936
rubecula (*Erithacus*) 1802
rubecula (*Myiagra*) 88, 96
rubra (*Piranga*) 1446
rufescens (*Bowdleria*) 1667
ruficauda (*Neochmia*) 1178, 1145
ruficollis (*Myiagra*) 82, 96
rufifrons (*Rhipidura*) 160, 224
rufiventris (*Rhipidura*) 218, 224
rustica (*Hirundo*) 1508, 1529, 1560
sagittatus (*Oriolus*) 366, 353
Scenopoetes dentirostris 848, 865
schoenichus (*Emberiza*) 1446
Sericulus chrysocephalus 873, 896
Serinus canarius 1302
sibirica (*Muscicapa*) 1813
solitarius (*Monticola*) 1805, 1816
Sphecotheres viridis 380, 384
spinus (*Carduelis*) 1302
splendens (*Corvus*) 770, 737
Stagonopleura bella 1224, 1240
 guttata 1212, 1240
 oculata 1235, 1240
stentoreus (*Acrocephalus*) see *A. australis*
strenuus (*Zosterops*) 1793, 1752
Strepera fuliginosa 556, 513, 608
 graculina 529, 513, 608
 versicolor 564, 513, 609
Struthidea cinerea 797, 768
Sturnella loyca 1445
STURNIDAE 1892
sturminus (*Sturnus*) 1934, 1849
Sturnus roseus 1936
 sturminus 1934, 1849
 vulgaris 1906, 1849
sueurii (*Lalage*) 325, 352
superciliosus (*Artamus*) 424, 385
Sylvia atricapilla 1597
 communis 1597
SYLVIIDAE 1596
Tachycineta leucopygia 1585
Taeniopygia bichenovii 1127, 1113
 guttata 1102, 1113
tahitica (*Hirundo*) 1548
tasmanicus (*Corvus*) 717, 736
telescopthalmus (*Arses*) 71, 65
temporalis (*Neochmia*) 1196, 1240
tenuirostris (*Coracina*) 305, 257
tenuirostris (*Zosterops*) 1794, 1752
tibicen (*Gymnorhina*) 579, 609
timoriensis (*Megalurus*) 1629, 1720
torquatus (*Cracticus*) 490, 512
trichroa (*Erythrura*) 1284, 1272
tristis (*Acridotheres*) 1937, 769
trivirgatus (*Monarcha*) 54, 64
trochilus (*Phylloscopus*) 1600
Turdus merula 1844, 1817
 philomelos 1877, 1817
 poliocephalus 1870, 1817
Tumagra capensis 958, 992
TURNAGRIDAE 957
versicolor (*Strepera*) 564, 513, 609
victoriae (*Ptiloris*) 643, 640
violaceus (*Ptilonorhynchus*) 888, 896
viridis (*Sphecotheres*) 380, 384
vulgaris (*Sturnus*) 1906, 1849
Zoothera heinei 1836, 1816
 lunulata 1820, 1816
ZOSTEROPIDAE 1728
Zosterops albogularis 1798, 1752
 citrinellus 1734, 1752
 lateralis 1745, 1753
 luteus 1737, 1752
 natalis 1730, 1752
 strenuus 1793, 1752
 tenuirostris 1794, 1752







INDEX TO ENGLISH NAMES

The pages of the colour plates are not numbered; figures in **bold type** are page numbers of the facing page.

- Apostlebird 797, **768**
 Bishop, Red 1097
 Blackbird, Common 1844, **1817**
 Blackcap 1597
 Boatbill, Yellow-breasted 37, **65**
 Bowerbird, Fawn-breasted 950, **865**
 Golden 860, **865**
 Great 936, **897**
 Regent 873, **896**
 Satin 888, **896**
 Spotted 915, **897**
 Tooth-billed 848, **865**
 Western 928, **897**
 Bulbul, Red-vented 1587
 Red-whiskered 1589, **769**
 Bullfinch 1097
 Bunting, Cirl 1457, **1368**
 Ortolan 1446
 Reed 1446
 Bushlark, Singing 1021, **993**
 Butcherbird, Black 482, **481**
 Black-backed 511, **512**
 Grey 490, **512**
 Pied 516, **481**
 Canary 1302
 Cardinal, Common 1587
 Catbird, Green 838, **864**
 Spotted 827, **864**
 Chaffinch, Common 1305, **1273**
 Chough, White-winged 775, **768**
 Cicadabird 305, **257**
 Cisticola, Golden-headed 1712, **1561**
 Zitting 1700, **1561**
 Crow, House 770, **737**
 Little 745, **737**
 Torresian 757, **737**
 Cuckoo-shrike, Barred 286, **257**
 Black-faced 266, **256**
 Ground 317, **257**
 White-bellied 291, **256**
 Currawong, Black 556, **513, 608**
 Grey 564, **513, 609**
 Pied 529, **513, 608**
 Drongo, Spangled 249, **225**
 Dunnock 1059, **1112**
 Fantail, Grey 174, **224**
 Mangrove Grey 14, **224**
 Northern 218, **224**
 Rufous 160, **224**
 Fernbird 1649, **1720**
 Chatham Island 1667
 Figbird 380, **384**
 Finch, Black-throated 1148, **1144**
 Bramble 1302
 Crimson 1167, **1145**
 Double-barred 1127, **1113**
 Gouldian 1290, **1272**
 Long-tailed 1139, **1144**
 Masked 1157, **1144**
 Painted 1243, **1145**
 Plum-headed 1188, **1113**
 Red-browed 1196, **1240**
 Star 1178, **1145**
 Zebra 1102, **1113**
 See also Firetail, Mannikin, Munia, Parrot-Finch
 Firetail, Beautiful 1224, **1240**
 Diamond 1212, **1240**
 Red-eared 1235, **1240**
 Flowerpecker, Red-capped 1491, **1528**
 Flycatcher, Blue-and-white 1817, **1848**
 Broad-billed 82, **96**
 Leaden 88, **96**
 Narscissus 1813, **1848**
 Restless 121, **97**
 Satin 104, **96**
 Shining 114, **97**
 Sooty 1813
 See also Monarch
 Goldfinch, European 1328, **1273**
 Grassbird, Little 1638, **1720**
 Tawny 1629, **1720**
 Grasshopper-Warbler (*see Warbler*)
 Greenfinch, European 1315, **1273**
 Hawfinch 1302
 Huia 1014
 Jackdaw 671
 Kokako 965, **992**
 Leiostrix, Red-billed 1597
 Linnett 1302
 Magpie, Australian 579, **609**
 Magpie-lark 134, **225**
 Mannikin, Chestnut-breasted 1261, **1241**
 Nutmeg 1250, **1241**
 Pictorella 1278, **1272**
 Yellow-rumped 1256, **1241**
 See also Munia
 Manucode, Trumpet 663, **641**
 Martin, Asian House 1583, **1529, 1560**
 Fairy 1568, **1529, 1560**
 Sand 1586
 Tree 1553, **1529, 1560**
 Meadowlark, Long-tailed 1445
 Mistletoebird 1476, **1528**
 Monarch, Black-faced 42, **64**
 Black-winged 50, **64**
 Fringed 71, **65**
 Pied 77, **65**
 Spectacled 54, **64**
 White-eared 64, **65**
 Munia, Black-headed 1098
 Pale-headed 1276, **1241**
 Myna, Common 1937, **769**
 Hill 1892
 Pale-bellied 1892
 Nightingale, Common 1802
 Oriole, Olive-backed 366, **353**
 Yellow 359, **353**
 Parrot-Finch, Blue-faced 1284, **1272**
 Piopio 958, **992**
 Pipit, Australasian 1359, **1369**
 Pechora 1391, **1400**
 Red-throated 1395, **1400**
 Richard's (*see Australasian*)
 South Georgia 1389, **1369**
 Tawny 1400
 Raven, Australian 690, **736**
 Forest 717, **736**
 Little 729, **736**
 Redpoll, Common 1345, **1368**
 Reed-Warbler, Australian 1605, **1561**
 Clamorous (*see Australian*)
 Oriental 1623, **1561**
 Riflebird, Magnificent 654, **641**
 Paradise 634, **640**
 Victoria's 643, **640**
 Robin, European 1802
 Rock-Thrush, Blue 1805, **1816**
 Rook 678, **737**
 Saddleback 986, **992**
 Shrike, Brown 818, **769**
 Red-backed 822
 Silvereye 1745, **1753**
 Siskin 1302
 Skylark 1039, **993**
 Songlark, Brown 1686, **1721**
 Rufous 1674, **1721**
 Sparrow, Eurasian Tree 1089, **1112**
 House 1070, **1112**
 Java 1270, **1112**
 Spinifexbird 1667, **1720**
 Starling, Common 1906, **1849**
 Metallic 1896, **1849**
 Purple-backed 1934, **1849**
 Rose-backed 1936
 Singing 1903, **1849**
 Tasman 1895
 Sunbird, Yellow-bellied 1464, **1528**
 Swallow, Barn 1508, **1529, 1560**
 Chilean 1585
 Pacific 1548
 Red-rumped 1549, **1529, 1560**
 Welcome 1517, **1529, 1560**
 White-backed 1499, **1529, 1560**
 Tanager, Summer 1446
 Thrush, Bassian 1820, **1816**
 Hermit 1802
 Island 1870, **1817**
 Russet-tailed 1836, **1816**
 Song 1877, **1817**
 See also Rock-Thrush
 Triller, Long-tailed 353
 Varied 344, **352**
 White-winged 325, **352**
 Twite 1302
 Wagtail, Black-backed 1436, **1400**
 Citrine 1415, **1401**
 Grey 1422, **1401**
 White 1426, **1400**
 Willie 225, **97**
 Yellow 1401, **1401**
 Warbler, Arctic 1601, **1720**
 Gray's Grasshopper 1629
 Willow 1600
 Weaver, Golden 1097
 Wheatear, Mountain 1809
 Isabelline 1809, **1848**
 White-eye, Christmas Island 1730, **1752**
 Pale 1734, **1752**
 Robust 1793, **1752**
 Slender-billed 1794, **1752**
 White-chested 1798, **1752**
 Yellow 1737, **1752**
 See also Silvereye
 Whitethroat 1597
 Widowbird, White-winged 1097
 Woodswallow, Black-faced 438, **480**
 Dusky 453, **480**
 Little 473, **480**
 Masked 412, **385**
 White-breasted 399, **385**
 White-browed 424, **385**
 Wydah (*see Widowbird*)
 Yellowhammer 1449, **1368**






1970


COMBINED INDEX TO SCIENTIFIC NAMES

Roman numerals indicate volume number; page numbers facing the coloured plates are in **bold type**. We have added and cross-referenced any departures between HANZAB and Christidis & Boles (1994; RAOU *Monograph* 2; RAOU [Birds Australia], Melbourne), for example, noting for *Egretta* (used in Christidis & Boles for three species) to 'see *Ardea*' (which used for these species in HANZAB).


Note that for Volume 1, Part A extends from page 1 to 736, and Part B from 737 to 1400; for Volume 7, Part A extends from page 1 to 1056 and Part B from 1057 to 1984.


- abbotti* (*Sula*) I: 791, **796, 797**
Acanthagenys rufogularis v: 508, **480**
Acanthis cannabina VII: 1302
flavirostris VII: 1302
Acanthisitta chloris v: 60, **96**
ACANTHISITTIDAE v: 58
Acanthiza apicalis VI: 437, **448**
chrysorrhoa VI: 506, **449**
ewingii VI: 451, **289**
inornata VI: 475, **449**
iredalei VI: 496, **449**
katherina VI: 414, **289**
lineata VI: 535, **480**
nana VI: 525, **480**
pusilla VI: 418, **289**
reguloides VI: 482, **449**
robustirostris VI: 468, **448**
uropygialis VI: 458, **448**
Acanthorhynchus superciliosus v: 1118, **1056**
tenuirostris v: 1104, **1056**
Acanthornis magnus VI: 221, **161**
Accipiter cirrhocephalus II: 150, **168, 169, 176**
fasciatus II: 134, **168, 169, 176**
novaehollandiae II: 122, **177**
ACCIPITRIDAE II: 22
Acridotheres cinereus VII: 1892
tristis VII: 1937, **769**
Acrocephalus australis VII: 1605, **1561**
orientalis VII: 1623, **1561**
stentureus (see *A. australis*)
Actitis hypoleucos III: 173, **224**
acutirostris (*Heteralocha*) VII: 1014
acuminata (*Calidris*) III: 295, **321**
acuta (*Anas*) I: 1301, **1300**
acuticauda (*Poephila*) VII: 1139, **1144**
adeliae (*Pygoscelis*) I: 158, **145**
adscitus (*Platycercus*) IV: 356, **352, 353**
Aegotheles cristatus IV: 1037, **1025**
AEGOTHELIDAE IV: 1036
aequinoctialis (*Procellaria*) I: 557, **561**
Aerodramus spodiopygius IV: 1058, **1056**
vanikorensis IV: 1067, **1056**
affinis (*Apus*) IV: 1090, **1057**
affinis (*Caprimulgus*) IV: 1032, **1024, 1025**
affinis (*Climacteris*) v: 212, **257**
affinis (*Melithreptus*) v: 948, **928**
Ailuroedus crassirostris VII: 838, **864**
melanotis VII: 827, **864**
Alauda arvensis VII: 1039, **993**
ALAUDIDAE VII: 1018
alba (*Ardea*) I: 967, **965**
alba (*Calidris*) III: 237, **288, 289**
alba (*Chionis*) II: 677, **680**
alba (*Gygis*) III: 825, **800, 801**
alba (*Motacilla*) VII: 1426, **1400**
alba (*Pterodroma*) I: 445, **433**
alba (*Tyto*) IV: 930, **961**
alberti (*Menura*) v: 129, **129**
albicilla (*Mohoua*) VI: 1023, **1025**
albifacies (*Sceloglaux*) IV: 884
albifrons (*Epthianura*) v: 1239, **1185**
albifrons (*Phylidonyris*) v: 1052, **1024**
albifrons (*Sterna*) III: 709, **672**
albilineata (*Meliphaga*) v: 709, **736**
albipennis (*Petrophassa*) III: 933, **896**
albispecularis (*Heteromyias*) VI: 818, **705**
albofrontata (*Gerygone*) VI: 334, **288**
albugularis (*Conopophila*) v: 1083, **1025**
albugularis (*Melithreptus*) v: 927, **897**
albugularis (*Zosterops*) VII: 1798, **1752**
albonotatus (*Euplectes*) VII: 1097
albostratus (*Sterna*) III: 699, **640, 641**
albus (*Porphyrio*) II: 592
ALCEDINIDAE IV: 1096
Alcedo azurea IV: 1097, **1120**
pusilla IV: 1105, **1120**
alecto (*Myiagra*) VII: 114, **97**
Alectoris barbara II: 422
chukar II: 386, **369**
rufa II: 422
Alectura lathamii II: 341, **368**
alexandrae (*Polytelis*) IV: 306, **289**
alexandrinus (*Charadrius*) II: 836, **800**
Alisterus scapularis IV: 269, **288**
alpina (*Calidris*) III: 308, **352, 353**
aluco (*Strix*) IV: 888
amabilis (*Malurus*) v: 327, **321**
Amauromis olivacea II: 538, **552**
amboinensis (*Macropygia*) III: 866, **849**
Amytornis ballarae v: 452, **448**
barbatus v: 391, **416**
dorotheae v: 409, **416**
goyderi v: 430, **417**
housei v: 398, **416**
merrittsi v: 426, **417**
purnelli v: 446, **448**
striatus v: 414, **417**
textilis v: 436, **448**
woodwardi v: 403, **416**
anaethetus (*Sterna*) III: 738, **673**
Anarhynchus frontalis II: 919, **801**
Anas acuta I: 1301, **1300**
aucklandica I: 1295, **1253**
castanea I: 1281, **1252**
chlorotis I: 1289, **1253**
clypeata I: 1348, **1316**
discors I: 1339
eatoni I: 1306, **1300**
flavirostris I: 1263
georgica I: 1303, **1300**
gracilis I: 1266, **1252**
nesiotis I: 1300
platyrhynchus I: 1313, **1301**
querquedula I: 1335, **1237**
rhynchotis I: 1340, **1316**
sibilatrix I: 1263, **1253**
superciliosa I: 1320, **1301**
ANATIDAE I: 1124
Anatinae I: 1223
andrewsi (*Fregata*) I: 928, **933, 948**
Anhinga melanogaster I: 798, **828**
ANHINGIDAE I: 798
Anous minutus III: 801, **800, 801**
stolidus III: 789, **800, 801**
tenuirostris III: 812, **800, 801**
Anseranas semipalmata I: 1114, **1132**
ANSERANATIDAE I: 1114
ANSERIFORMES I: 1112
Hybrid ducks I: 1332
Anserinae I: 1174
antarctica (*Pygoscelis*) I: 174, **145**
antarctica (*Thalassoica*) I: 384, **400**
antarcticus (*Anthus*) VII: 1389, **1369**
antarcticus (*Lopholaimus*) III: 1009, **833**
Anthochaera carunculata v: 463, **449**
chrysoptera v: 489, **480**
lumulata v: 503, **480**
paradoxa v: 482, **449**
anthoepus (*Polytelis*) IV: 295, **289**
Anthornis melanura v: 1173, **1152**
Anthus antarcticus VII: 1389, **1369**
campestris VII: 1400
cervinus VII: 1395, **1400**
gustavi VII: 1391, **1400**
novaeseelandiae VII: 1359, **1369**
antigone (*Grus*) II: 480, **457**
antipodes (*Megadyptes*) I: 236, **208**
Aphelocephala leucopsis VI: 550, **481**
nigricincta VI: 568, **481**
pectoralis VI: 561, **481**
apicalis (*Acanthiza*) VI: 437, **448**
Aplonis cantoroides VII: 1903, **1849**
fusca VII: 1895
metallica VII: 1896, **1849**
APODIDAE IV: 1049
APODIFORMES IV: 1049
approximans (*Circus*) II: 105, **193, 200, 201**
apricaria (*Pluvialis*) II: 811
Aprosmictus erythropterus IV: 278, **288**
Aptenodytes forsteri I: 136, **144**
patagonicus I: 126, **144**
APTERYGIDAE I: 71
Apteryx australis I: 71, **72**
haastii I: 86, **73**
owenii I: 80, **73**
apus (*Apus*) IV: 1081
Apus affinis IV: 1090, **1057**
apus IV: 1081
pacificus IV: 1081, **1057**
Aquila audax II: 164, **232, 233**
gurneyi II: 163, **232, 233**
arcuata (*Dendrocygna*) I: 1134, **1133**
Ardea alba I: 967, **965**
cinerea I: 955
eulophotes I: 1002
garzetta I: 996, **981**
ibis I: 1017, **981**
intermedia I: 978, **965**
novaehollandiae I: 986, **980**
pacifica I: 955, **964**
picata I: 974, **1069**
sacra I: 1002, **980**
striata I: 1009, **1020**
sumatrana I: 962, **964**
ARDEIDAE I: 953
Ardeotis australis II: 636, **625**
Arenaria interpres III: 194, **256**
Arenariinae III: 194
argenteiceps (*Philemon*) v: 538, **481**
argus (*Eurostopodus*) IV: 1013, **1024, 1025**
ariel (*Fregata*) I: 921, **933, 948**






- ariel* (*Hirundo*) VII: 1568, 1529, 1560
armatus (*Vanellus*) II: 958
armijnoniana (*Pterodroma*) I: 440, 465
arquata (*Numenius*) III: 116
Arses kaupi VII: 77, 65
telescopthalmus VII: 71, 65
ARTAMIDAE VII: 396
Artamus cinereus VII: 438, 480
cyanopterus VII: 453, 480
leucorynchus VII: 399, 385
minor VII: 473, 480
personatus VII: 412, 385
superciliosus VII: 424, 385
arvensis (*Alauda*) VII: 1039, 993
Ashbyia lovensis V: 1253, 1153
asiaticus (*Charadrius*) II: 876
asiaticus (*Ephippiorhynchus*) I: 1064, 1068
assimilis (*Circus*) II: 94, 193, 200, 201
assimilis (*Puffinus*) I: 666, 664
ater (*Dromaius*) I: 59
aterrimus (*Probosciger*) IV: 32, 64
Athene noctua IV: 812, 864
atlanticus (*Larus*) III: 484
atra (*Fulica*) II: 625, 617
atratus (*Cygnus*) I: 1178, 1196
atricapilla (*Sylvia*) VII: 1597
Atrichornis clamosus V: 183, 225
rufescens V: 176, 225
ATRICHORNITHIDAE V: 174
atricilla (*Larus*) III: 1351, 544, 545
aucklandica (*Anas*) I: 1295, 1253
aucklandica (*Coenocorypha*) III: 54, 65
audax (*Aquila*) II: 164, 232, 233
auriceps (*Cyanoramphus*) IV: 492, 449
aurifrons (*Ephiamura*) V: 1220, 1184, 1185
australis (*Acrocephalus*) VII: 1605, 1561
australis (*Apteryx*) I: 71, 72
australis (*Ardeotis*) II: 636, 625
australis (*Aythya*) I: 1351, 1317
australis (*Charadrius*) II: 884, 841
australis (*Eopsaltria*) VI: 770, 736
australis (*Gallirallus*) II: 506, 520
australis (*Mergus*) I: 1363
australis (*Oxyura*) I: 1142, 1164
australis (*Petroica*) VI: 706, 609
Aviceda subcristata II: 26, 40, 41
axillaris (*Elanus*) II: 35, 40, 41
axillaris (*Pterodroma*) I: 485, 489
Aythya australis I: 1351, 1317
novaeseelandiae I: 1358, 1317
azurea (*Alcedo*) IV: 1097, 1120
bairdii (*Calidris*) III: 283, 288, 289
ballarae (*Amytornis*) V: 452, 448
banksii (*Calyptorhynchus*) IV: 40, 65
barauui (*Pterodroma*) I: 475, 473
barbara (*Alectoris*) II: 422
barbatus (*Amytornis*) V: 391, 416
Barnardius zonarius IV: 376, 385
Bartramia longicauda III: 125, 128
basalis (*Chrysococcyx*) IV: 713, 736, 737
baudinianus (*Dromaius*) I: 59
baudini (*Calyptorhynchus*) IV: 90, 97
beccarii (*Sericornis*) VI: 215, 160
belcheri (*Pachyptila*) I: 534, 528
bella (*Stagonopleura*) VII: 1224, 1240
bengalensis (*Sterna*) III: 597, 577
benghalensis (*Rostratula*) II: 658, 640
bennetti (*Corvus*) VII: 745, 737
bergii (*Sterna*) III: 605, 577
berigora (*Falco*) II: 237, 305, 320
bichenovii (*Taeniopygia*) VII: 1127, 1113
bicinctus (*Charadrius*) II: 847, 801
bicolor (*Ducula*) III: 1001, 960
Biziura lobata I: 1152, 1164
borealis (*Phylloscopus*) VII: 1601, 1720
Botaurus poiciloptilus I: 1056, 1053
bourkii (*Neopsephotus*) IV: 521, 513
Bowdleria punctata VII: 1649, 1720
rufescens VII: 1667
boweri (*Colluricincla*) VI: 1180, 1121
brachypterus (*Dasyornis*) VI: 95, 96
bracteatus (*Dicrurus*) VII: 249, 225
bransfieldensis (*Phalacrocorax*) I: 847, 884
Branta canadensis I: 1189, 1197
brevipes (*Heteroscelus*) III: 180, 225
brevirostris (*Melithreptus*) V: 914, 928
brevirostris (*Pterodroma*) I: 448, 472
brevirostris (*Smicrornis*) VI: 292, 480
broadbenti (*Dasyornis*) VI: 114, 96
brunneopygia (*Drymodes*) VI: 830, 737
brunneus (*Pyrrholaemus*) VI: 269, 193
buceroides (*Philemon*) V: 529, 481
bulleri (*Diomedea*) I: 330, 313
bulleri (*Larus*) III: 545, 513, 545
bulleri (*Puffinus*) I: 603, 625
Bulweria bulwerii I: 554, 560
bulwerii (*Bulweria*) I: 554, 560
BURHINIDAE II: 695
Burhinus galliarum II: 696, 681
Butastur teesa II: 162
Cacatua galerita I: 163, 160
leadbeateri IV: 154, 160
pastinator IV: 136, 129
roseicapilla (see *Eolophus*)
sanguinea I: 144, 129
tenuirostris IV: 127, 129
CACATUIDAE IV: 29
Cacomantis castaneiventris IV: 688, 673
flabelliformis IV: 692, 673
variolosus IV: 677, 673
caerulea (*Halobaena*) I: 508, 528
cafer (*Pycnonotus*) VII: 1587
Calamanthus campestris VI: 258, 193
fuliginosus VI: 247, 193
caledonicus (*Nycticorax*) I: 1030, 1021
caledonicus (*Platycercus*) IV: 313, 320
Calidridinae III: 213
Calidris acuminata III: 295, 321
alba III: 237, 288, 289
alpina III: 308, 352, 353
bairdii III: 283, 288, 289
canutus III: 224, 257
ferruginea III: 315, 352, 353
fuscicollis III: 279, 288, 289
Hybrids III: 307, 352, 353
mauri III: 246
melanotos III: 287, 321
minuta III: 250, 289, 320
minutilla III: 279
pusilla III: 245
ruficollis III: 258, 289, 320
subminuta III: 270, 289, 320
tenuirostris III: 214, 257
californicus (*Lophortyx*) II: 358, 369
Callaeas cinerea VII: 965, 992
CALLAEIDAE VII: 963
Callocephalon fimbriatum IV: 94, 128
Calonectris diomedea I: 586, 593
leucomelas I: 589, 593
Calyptorhynchus banksii IV: 40, 65
baudini IV: 90, 97
funereus IV: 66, 96
lathamii IV: 52, 64
latirostris IV: 78, 97
camelus (*Struthio*) I: 68
campbelli (*Phalacrocorax*) I: 889, 932
CAMPEPHAGIDAE VII: 263
campestris (*Anthus*) VII: 1400
campestris (*Calamanthus*) VI: 258, 193
canadensis (*Branta*) I: 1189, 1197
canarius (*Serinus*) VII: 1302
cannabina (*Acanthis*) VII: 1302
canorus (*Cuculus*) IV: 652
cantoroides (*Aplonis*) VII: 1903, 1849
canutus (*Calidris*) III: 224, 257
capense (*Daption*) I: 391, 400
capensis (*Sula*) I: 749, 756
capensis (*Turnagra*) VII: 958, 992
capensis (*Tyto*) IV: 950, 961
capito (*Tregellasia*) VI: 756, 705
CAPRIMULGIDAE IV: 1000
CAPRIMULGIFORMES IV: 963
Caprimulgus affinis IV: 1032, 1024, 1025
macrurus IV: 1024, 1024, 1025
carbo (*Phalacrocorax*) I: 810, 829
cardinalis (*Cardinalis*) VII: 1446
Cardinalis cardinalis VII: 1446
carduelis (*Carduelis*) VII: 1328, 1273
Carduelis carduelis VII: 1328, 1273
chloris VII: 1315, 1273
flammea VII: 1345, 1368
spinus VII: 1302
carneipes (*Puffinus*) I: 609, 624
carteri (*Eremiornis*) VII: 1667, 1720
carunculata (*Anthochaera*) V: 463, 449
carunculatus (*Phalacrocorax*) I: 872, 885
carunculatus (*Philesturnus*) VII: 986, 992
caspia (*Sterna*) III: 586, 576
castanea (*Anas*) I: 1281, 1252
castaneiventris (*Cacomantis*) IV: 688, 673
castaneothorax (*Cinclusoma*) VI: 990, 897
castaneothorax (*Lonchura*) VII: 1261, 1241
castaneiventris (*Eulabeornis*) II: 571, 552
castanota (*Turnix*) II: 441, 424
castanotus (*Cinclusoma*) VI: 967, 896
CASUARIIDAE I: 60
casuarius (*Casuarius*) I: 60, 57
Casuarius casuarius I: 60, 57
Catharacta macconnicki III: 412, 385, 416
skua III: 388, 385, 416
Catharus guttatus VII: 1802
caudacutus (*Hirundapus*) IV: 1070, 1057
cauta (*Diomedea*) I: 301, 297, 304
cauta (*Hylacola*) VI: 238, 192
cenchroides (*Falco*) II: 253, 257, 264, 265
CENTROPIDIDAE IV: 792
Centropus phasianinus IV: 793, 769
Cereopsis novaehollandiae I: 1194, 1197
Certhionyx niger V: 1133, 1057
pectoralis V: 1126, 1057
variegatus V: 1143, 1057
cerulea (*Procelsterna*) III: 818, 800, 801
cervicalis (*Pterodroma*) I: 470, 488
cerviniiventris (*Chlamydera*) VII: 950, 865
cervinus (*Anthus*) VII: 1395, 1400
chalconotus (*Phalacrocorax*) I: 876, 885
Chalcophaps indica III: 873, 880
chalcoptera (*Phaps*) III: 881, 881
CHARADRIIDAE II: 799
CHARADRIIFORMES II: 648, III: 25
Charadriinae II: 799
Charadrius alexandrinus II: 836, 800
asiaticus II: 876
australis II: 884, 841
bicinctus II: 847, 801
dubius II: 832, 785
hiaticula II: 828, 785
leschenaultii II: 868, 840
mongolus II: 860, 840
obscurus II: 818, 784
ruficapillus II: 836, 800
tricoloris II: 892
veredus II: 877, 841
chathamensis (*Haematopus*) II: 734, 713
Chenonetta jubata I: 1240, 1165
Cheramoea leucosternus VII: 1499, 1529, 1560
chinensis (*Coturnix*) II: 414, 392
chinensis (*Streptopelia*) III: 856, 848







1972 Combined Index to Scientific Names


- CHIONIDIDAE II: 677
Chionis alba II: 677, 680
Chionis minor II: 684, 680
chirurgus (*Hydrophasianus*) II: 675, 641
Chlamydera cerviniventris VII: 950, 865
 guttata VII: 928, 897
 maculata VII: 915, 897
Chlamydera nuchalis VII: 936, 897
Chlidonias hybridus III: 765, 704, 705
 leucopterus III: 776, 704, 705
 niger III: 785, 704, 705
chloris (*Acanthisitta*) V: 60, 96
chloris (*Carduelis*) VII: 1315, 1273
chloris (*Todiramphus*) IV: 1201, 1184
chlorolepidotus (*Trichoglossus*) IV: 212, 224
chloronotus (*Gerygone*) VI: 385, 257
chlororhynchus (*Diomedea*) I: 322, 312
chlorotis (*Anas*) I: 1289, 1253
chrysocephalus (*Sericulus*) VII: 873, 896
Chrysococcyx basalis IV: 713, 736, 737
 lucidus IV: 726, 736, 737
 minuillus IV: 744, 736, 737
 osculans IV: 705, 736, 737
 russatus IV: 752, 736, 737
chrysocome (*Eudyptes*) I: 182, 240
chrysogaster (*Neophema*) IV: 558, 545
chrysolophus (*Eudyptes*) I: 222, 240
chrysops (*Lichenostomus*) V: 724, 672
chrysoptera (*Anthochaera*) V: 489, 480
chrysoptera (*Daphoenositta*) VI: 1000, 1024
chrysopterygius (*Psephotus*) IV: 450, 448
chrysothraupis (*Acanthiza*) VI: 506, 449
chrysostoma (*Diomedea*) I: 311, 305
chrysostoma (*Neophema*) IV: 528, 544
Chthonicola sagittata VI: 278, 192
chukar (*Alectoris*) II: 386, 369
ciconia (*Ciconia*) I: 1064
Ciconia ciconia I: 1064
 CICONIIDAE I: 1063
 CICONIIFORMES I: 953
Cincloramphus cruralis VII: 1686, 1721
 mathewsi VII: 1674, 1721
Cinclsoma castaneothorax VI: 990, 897
 castanotus VI: 967, 896
 cinnamomeum VI: 980, 897
 punctatum VI: 956, 896
 CINCLOSOMATIDAE VI: 912
cincta (*Notiomystis*) V: 954, 1152
cincta (*Poephila*) VII: 1148, 1144
cinctus (*Erythronyx*) II: 928, 872
cinctus (*Ptilinopus*) III: 970, 960
cinerea (*Ardea*) I: 955
cinerea (*Callaeas*) VII: 965, 992
cinerea (*Gallinago*) II: 575, 585
cinerea (*Motacilla*) VII: 1422, 1401
cinerea (*Procellaria*) I: 579, 592
cinerea (*Struthidea*) VII: 797, 768
cinereus (*Acridotheres*) VII: 1892
cinereus (*Artamus*) VII: 438, 480
cinereus (*Porzana*) II: 567, 584
cinereus (*Xenus*) III: 165, 193
cinnamomeum (*Cinclsoma*) VI: 980, 897
Circus approximans II: 105, 193, 200, 201
 assimilis II: 94, 193, 200, 201
 spilnotus II: 105
cirlus (*Emberiza*) VII: 1457, 1368
cirrocephalus (*Accipiter*) II: 150, 168, 169, 176
Cisticola exilis VII: 1712, 1561
 juncidis VII: 1700, 1561
citreogularis (*Philemon*) V: 561, 544
citreogularis (*Sericornis*) VI: 149, 160
citroala (*Motacilla*) VII: 1415, 1401
citrinella (*Emberiza*) VII: 1449, 1368
citrinellus (*Zosterops*) VII: 1734, 1752
Cladorhynchus leucocephalus II: 780, 766
clamosus (*Atrichornis*) V: 183, 225
 CLIMACTERIDAE V: 193
Climacteris affinis V: 212, 257
 erythropterus V: 219, 256
 melanura V: 242, 288
 picumnus V: 228, 257
 rufa V: 247, 288
clypeata (*Anas*) I: 1348, 1316
coccothraustes (*Coccothraustes*) VII: 1302
Coccothraustes coccothraustes VII: 1302
cockerelli (*Trichodere*) V: 985, 640
coelebs (*Fringilla*) VII: 1305, 1273
Coenocorypha aucklandica III: 54, 65
 pusilla III: 47, 65
colchicus (*Phasianus*) II: 377, 384
colensoi (*Phalacrocorax*) I: 885, 932
Colinus virginianus II: 424
Collocalia esculenta IV: 1052, 1056
Colluricincla bowleri VI: 1180, 1121
 harmonica VI: 1189, 1152
 megarhyncha VI: 1169, 1121
 woodwardi VI: 1185, 1121
collurio (*Lanius*) VII: 822
Columba leucomela III: 847, 833
 livia III: 838, 832
 vitiensis III: 846
 COLUMBIDAE III: 834
 COLUMBIFORMES III: 834
communis (*Sylvia*) VII: 1597
concinna (*Ducula*) III: 994, 992
concinna (*Glossopsitta*) IV: 228, 256
connivens (*Ninox*) IV: 841, 833
Conopophila albogularis V: 1083, 1025
 rufogularis V: 1091, 1025
 whitei V: 1099, 1025
conspicillatus (*Pelecanus*) I: 738, 740
cookii (*Pterodroma*) I: 488, 496
 CORACIIDAE IV: 1225
 CORACIIFORMES IV: 1094
Coracina lineata VII: 286, 257
 maxima VII: 317, 257
 novaezelandiae VII: 266, 256
 papuensis VII: 291, 256
 tenuirostris VII: 305, 257
 CORCORACIDAE VII: 773
Corcorax melanorhamphos VII: 775, 768
Cormobates leucophaea V: 197, 256
corniculatus (*Philemon*) V: 546, 481
coromandelianus (*Nettapus*) I: 1234, 1236
coronatus (*Malurus*) V: 261, 289
coronoides (*Corvus*) VII: 690, 736
 CORVIDAE VII: 671
Corvus bennetti VII: 745, 737
 coronoides VII: 690, 736
 frugilegus VII: 678, 737
 mellori VII: 729, 736
 monedula VII: 671
 orrui VII: 757, 737
 splendens VII: 770, 737
 tasmanicus VII: 717, 736
coturnix (*Coturnix*) II: 423
Coturnix chinensis II: 414, 392
 coturnix II: 423
 novaezelandiae II: 402
 pectoralis II: 390, 385
 ypsilophora II: 404, 385
Cracticus mentalis VII: 511, 512
 nigrogularis VII: 516, 481
 quoyi VII: 482, 481
 torquatus VII: 490, 512
crassirostris (*Ailuroides*) VII: 838, 864
crassirostris (*Larus*) III: 485, 480, 512
crassirostris (*Pachyptila*) I: 550, 528
cratitius (*Lichenostomus*) V: 825, 768
creatopus (*Puffinus*) I: 616, 625
crex (*Crex*) II: 537
Crex crex II: 537
cristatus (*Aegotheles*) IV: 1037, 1025
cristatus (*Lanius*) VII: 818, 769
cristatus (*Pavo*) II: 372
cristatus (*Psophodes*) VI: 942, 865
critsatus (*Podiceps*) I: 115, 113
crocea (*Epthianura*) V: 1229, 1184
cruralis (*Cincloramphus*) VII: 1686, 1721
 CUCULIDAE IV: 648
 CUCULIFORMES IV: 647
cucullata (*Melanodryas*) VI: 732, 704
Cuculus canorus IV: 652
 gularis IV: 652
 pallidus IV: 662, 672
 saturatus IV: 653, 672
cuneata (*Geopelia*) III: 942, 929
cupido (*Tympanuchus*) II: 424
cyaneus (*Malurus*) V: 269, 320
cyanoleuca (*Grallina*) VII: 134, 225
cyanoleuca (*Myiagra*) VII: 104, 96
cyanomelana (*Cyanoptila*) VII: 1817, 1848
cyanopterus (*Artamus*) VII: 453, 480
Cyanoptila cyanomelana VII: 1817, 1848
Cyanoramphus auriceps IV: 492, 449
 novaezelandiae IV: 475, 449
 unicolor IV: 469, 449
cyantotis (*Entomyzom*) V: 598, 544
Cyclopsitta diophthalma IV: 261, 225
Cygnus atratus I: 1178, 1196
 olor I: 1175, 1196
Dacelo leachii IV: 1139, 1152
 novaezelandiae IV: 1122, 1121
dactylatra (*Sula*) I: 763, 757, 797
Daphoenositta chrysoptera VI: 1000, 1024
Dauphin capense I: 391, 400
Dasyornis brachypterus VI: 95, 96
 broadbentii VI: 114, 96
 longirostris VI: 108, 96
dasyptus (*Hirundo*) VII: 1583, 1529, 1560
daurica (*Hirundo*) VII: 1549, 1529, 1560
Dendrocygna arcuata I: 1134, 1133
 eytoni I: 1127, 1133
 DENDROCYGNAE I: 1127
dentirostris (*Scenopoetes*) VII: 848, 865
desolata (*Pachyptila*) I: 526, 529
 DICAETIDAE VII: 1474
Dicaeum geelvinkianum VII: 1491, 1528
 hirundinaceum VII: 1476, 1528
 DICRURIDAE VII: 33
Dicrurus bracteatus VII: 249, 225
dieffenbachii (*Gallinallus*) II: 528
diomedea (*Calonectris*) I: 586, 593
Diomedea bulleri I: 330, 313
 cauta I: 301, 297, 304
 chlororhynchus I: 322, 312
 chrysostoma I: 311, 305
 epomophora I: 282, 280, 281
 exulans I: 265, 272, 273
 melanophrys I: 290, 296
 nigripes I: 290
 DIOMEDEIDAE I: 264
diophthalma (*Cyclopsitta*) IV: 261, 225
discolor (*Lathamus*) IV: 412, 256
discors (*Anas*) I: 1339
dissimilis (*Psephotus*) IV: 458, 448
domesticus (*Passer*) VII: 1070, 1112
dominica (*Pluvialis*) II: 810
dominicanus (*Larus*) III: 490, 480, 481
dorotheae (*Amytornis*) V: 409, 416
dougallii (*Sterna*) III: 621, 608, 609
 DROMAIDAE I: 47
Dromaius ater I: 59
 baudinianus I: 59
 novaezelandiae I: 47, 56
Drymodes brunneopygia VI: 830, 737
 superciliaris VI: 826, 737






- Dryolimnas pectoralis* II: 529, 521
dubius (Charadrius) II: 832, 785
Ducula bicolor III: 1001, 960
 concinna III: 994, 992
 mullerii III: 999, 992
 whartoni III: 996, 992
eatonii (Anas) I: 1306, 1300
Ecluctus roratus IV: 248, 257
Egretta (see Ardea)
Elanus axillaris II: 35, 40, 41
 scriptus II: 45, 40, 41
elegans (Mahurus) v: 339, 384
elegans (Neophema) IV: 540, 544
elegans (Phaps) III: 890, 881
elegans (Platycercus) IV: 321, 320, 321
Elseyonis melanops II: 892, 872
Emberiza cirulus VII: 1457, 1368
 citrinella VII: 1449, 1368
 hortulana VII: 1446
 schoeniclus VII: 1446
EMBERIZIDAE VII: 1446
Emblema pictum VII: 1243, 1145
Entomyzon cyanotis v: 598, 544
Eolophus roseicapillus IV: 104, 128
Eopsaltria australis VI: 770, 736
 georgiana VI: 798, 736
 griseogularis VI: 789, 736
 pulverulenta VI: 805, 704
Ephippiorhynchus asiaticus I: 1064, 1068
epomophora (Diomedea) I: 282, 280, 281
Épthianura albifrons v: 1239, 1185
 aurifrons v: 1220, 1184, 1185
 crocea v: 1229, 1184
 tricolor v: 1207, 1153
Eremiomis carteri VII: 1667, 1720
Erethacus rubecula VII: 1802
erythrocephala (Myzomela) v: 1158, 929
erythrogaster (Pitta) v: 95, 97
Erythronyx cinctus II: 928, 872
erythroptus (Climacteris) v: 219, 256
erythropterus (Aprosmictus) IV: 278, 288
erythropus (Tringa) III: 128, 161
Erythrotriorchis radiatus II: 214, 192
Erythrura gouldiae VII: 1290, 1272
 trichroa VII: 1284, 1272
Esacus magnirostris II: 708, 712
esculenta (Collocalia) IV: 1052, 1056
ESTRILDIDAE VII: 1098
Eudynamis scolopacea IV: 760, 768
 taitensis IV: 773, 768
Eudyptes chrysocome I: 182, 240
 chrysolophus I: 222, 240
 pachyrhynchus I: 195, 209
 robustus I: 205, 209
 schlegeli I: 230, 240
 sclateri I: 215, 209
Eudypula minor I: 246, 241
Eulabeornis castaneoventris II: 571, 552
eulophotes (Ardea) I: 1002
Euplectes albonotatus VII: 1097
 orix VII: 1097
Eurostopodus argus IV: 1013, 1024, 1025
 mystacalis IV: 1003, 1024, 1025
Eurystomus glaucurus IV: 1226
 orientalis IV: 1227, 1216
ewingii (Acanthiza) VI: 451, 289
exilis (Cisticola) VII: 1712, 1561
eximius (Platycercus) IV: 341, 352
externa (Pterodroma) I: 468, 488
exulans (Diomedea) I: 265, 272, 273
eytoni (Dendrocygna) I: 1127, 1133
falcinellus (Limicola) III: 333, 288, 289
falcinellus (Plegadis) I: 1072, 1069
Falco berigora II: 237, 305, 320
 cenchroides II: 253, 257, 264, 265
 hypoleucos II: 291, 257, 264, 265
 longipennis II: 268, 257, 264, 265
 novaezeelandiae II: 279, 304
 peregrinus II: 307, 257, 264, 265
 subniger II: 299, 305, 320
FALCONIDAE II: 235
FALCONIFORMES II: 21
Falcunculus frontatus VI: 1050, 1056
fallax (Glycichaera) v: 966, 640
fasciata (Rallina) II: 493, 488
fasciatus (Accipiter) II: 134, 168, 169, 176
 fasciatus (Ramsayornis) v: 1078, 929
 fascinans (Microeca) VI: 577, 608
 fasciogularis (Lichenostomus) v: 759, 673
 fasciolata (Locustella) VII: 1629
 featherstoni (Phalacrocorax) I: 844, 869
 ferruginea (Calidris) III: 315, 352, 353
Ficedula narcissina VII: 1813, 1848
fimbriatum (Callocephalon) IV: 94, 128
finschi (Haematopus) II: 727, 713
flabelliformis (Cacomantis) IV: 692, 673
flammea (Carduelis) VII: 1345, 1368
flava (Motacilla) VII: 1401, 1401
flavescens (Lichenostomus) v: 872, 769
flavicollis (Ixobrychus) I: 1049, 1053
flavicollis (Lichenostomus) v: 796, 737
flavigaster (Microeca) VI: 591, 608
flavigula (Manorina) v: 650, 577
flavipes (Platalea) I: 1104, 1101
flavipes (Tringa) III: 153, 192
flaviprymna (Lonchura) VII: 1256, 1241
flavirostris (Acanthis) VII: 1302
flavirostris (Anas) I: 1263
flaviventer (Machaerirhynchus) 37, 65
flaviventer (Xanthotis) v: 680, 640
flavocinctus (Oriolus) VII: 359, 353
flavus (Lichenostomus) v: 773, 736
floccosus (Pycnoptilus) VI: 125, 161
fluminea (Porzana) II: 551, 553
forsteri (Aptenodytes) I: 136, 144
frater (Monarcha) VII: 50, 64
Fregata andrewsi I: 928, 933, 948
 ariel I: 921, 933, 948
 minor I: 913, 933, 948
FREGATIDAE I: 912
Fregatta grallaria I: 706, 681
 tropica I: 700, 681
frenatus (Lichenostomus) v: 715, 672
Fringilla coelebs VII: 1305, 1273
 montifringilla VII: 1302
FRINGILLIDAE VII: 1302
frontalis (Anarhynchus) II: 919, 801
frontalis (Sericornis) VI: 161, 97
frontatus (Falcunculus) VI: 1050, 1056
frugilegus (Corvus) VII: 678, 737
Fulica atra II: 625, 617
fulicaria (Phalaropus) III: 360, 369
fuliginosa (Rhipidura) VII: 174, 224
fuliginosa (Strepera) VII: 556, 513, 608
fuliginosus (Calamanthus) VI: 247, 193
fuliginosus (Haematopus) II: 740, 744
Fulmarus glacialis I: 376, 400
fulva (Phuvalis) II: 800, 777
funereus (Calyptorhynchus) IV: 66, 96
fusca (Aplonis) VII: 1895
fusca (Gerygone) VI: 360, 256
fusca (Phoebetria) I: 338, 328
fusca (Porzana) II: 557, 584
fuscata (Sterna) III: 752, 673
fuscescens (Phalacrocorax) I: 896, 869
fuscicollis (Calidris) III: 279, 288, 289
fuscus (Larus) III: 516
fuscus (Lichenostomus) v: 858, 769
galatea (Tanysiptera) IV: 1112
galerita (Cacatua) IV: 163, 160
Gallinula norfolciensis III: 969
Gallinula cinerea II: 575, 585
GALLIFORMES II: 321
gallinacea (Irediparra) II: 668, 641
Gallinago hardwickii III: 21, 64
 megala III: 42, 64
 stenura III: 38, 64
 Unidentified III: 47
Gallinagoninae III: 28
Gallinula mortierii II: 615, 624
 tenebrosa II: 600, 617
 ventralis II: 609, 624
Gallirallus australis II: 506, 520
 dieffenbachi II: 528
 modestus II: 527
 philippensis II: 495, 489
 sylvestris II: 520, 489
gallopavo (Meleagris) II: 354
gallus (Gallus) I: 364
Gallus gallus II: 364
 varius II: 423
Garrodia (see Oceanites)
garzetta (Ardea) I: 996, 981
gavia (Puffinus) I: 649, 657
geelvinkianum (Dicaeum) VII: 1491, 1528
geoffroyi (Geoffroyus) IV: 255, 257
Geoffroyus geoffroyi IV: 255, 257
Geopelia cuneata III: 942, 929
 humeralis III: 957, 849
 striata III: 949, 929
Geophaps plumifera III: 912, 897
 scripta III: 927, 928
 smithii III: 927, 928
georgiana (Eopsaltria) VI: 798, 736
georgianus (Phalacrocorax) I: 851
georgica (Anas) I: 1303, 1300
georgicus (Pelecanoides) I: 719, 688
Gerygone albofrontata VI: 334, 288
 chloronotus VI: 385, 257
 fusca VI: 360, 256
 igata VI: 319, 288
 insularis VI: 374
 levigaster VI: 351, 256
 magnirostris VI: 376, 256
 modesta VI: 341, 288
 mouki VI: 308, 257
 olivacea VI: 399, 257
 palpebrosa VI: 391, 257
 ruficauda VI: 414
 tenebrosa VI: 345, 256
giganteus (Macronectes) I: 356, 368
gilviventris (Xenicus) v: 81, 96
glacialoides (Fulmarus) I: 376, 400
glareola (Tringa) III: 158, 224
Glareola maldivarum III: 366, 384
GLAREOLIDAE III: 365
glaucurus (Eurystomus) IV: 1226
Glossopsitta concinna IV: 228, 256
 porphyrocephala IV: 241, 256
 pusilla IV: 236, 256
Glycichaera fallax v: 966, 640
goodenovii (Petroica) VI: 649, 640
gouldiae (Erythrura) VII: 1290, 1272
 goyderi (Amytornis) v: 430, 417
 gracilis (Anas) I: 1266, 1252
 gracilis (Meliphaga) v: 703, 641
Gracula religiosa VII: 1892
graculina (Strepera) VII: 529, 513, 608
grallaria (Fregatta) I: 706, 681
grallarius (Burhinus) II: 696, 681
Grallina cyanoleuca VII: 134, 225
gramineus (Megalarus) VII: 1638, 1720
Grantiella picta v: 989, 545
gravis (Puffinus) I: 619, 592
griseiceps (Microeca) VI: 600, 608
griseogularis (Eopsaltria) VI: 789, 736
griseus (Puffinus) I: 622, 656
GRUIDAE II: 469
GRUIFORMES II: 469
Grus antigone II: 480, 457







1974 Combined Index to Scientific Names


- rubicundus* II: 470, 456
ularis (*Cuculus*) IV: 652
ularis (*Melithreptus*) V: 897, 896
urneyi (*Aquila*) II: 163, 232, 233
gustavi (*Anthus*) VII: 1391, 1400
guttata (*Catharus*) VII: 1802
guttata (*Chlamydera*) VII: 928, 897
guttata (*Stagonopleura*) VII: 1212, 1240
guttata (*Taeniopygia*) VII: 1102, 1113
guttifer (*Tringa*) III: 152
gutturialis (*Oreoica*) VI: 1064, 1056
gutturialis (*Oreoscopus*) VI: 143, 161
Gygis alba III: 825, 800, 801
Gymnorhina tibicen VII: 579, 609
haastii (*Apteryx*) I: 86, 73
habroptilus (*Strigops*) IV: 633, 641
haemastica (*Limosa*) III: 77, 96
haematodus (*Trichoglossus*) IV: 195, 224
haematogaster (*Norhiella*) IV: 400, 416
haematonotus (*Psephotus*) IV: 425, 417
 HAEMATOPODIDAE II: 715
Haematopus chathamensis II: 734, 713
 finschi II: 727, 713
 fuliginosus II: 740, 744
 longirostris II: 716, 744
 unicolor II: 748, 713
 HALCYONIDAE IV: 1112
Haliaeetus leucogaster II: 81, 240, 241
haliaetus (*Pandion*) II: 225, 256
Haliaeetus indus II: 63, 105, 136, 137
 sphenurus II: 71, 104, 105, 136
halli (*Macronectes*) I: 370, 369
halli (*Pomastomus*) VI: 899, 864
Halobaena caerulea I: 508, 528
Hamirostra melanosternon II: 193, 72, 73
hardwickii (*Gallinago*) III: 21, 64
harmonica (*Colluricincla*) VI: 1189, 1152
hartlaubii (*Larus*) III: 517
heinei (*Zoothera*) VII: 1836, 1816
Hemiphaga novaeseelandiae III: 1016, 993
Heteralocha acutirostris VII: 1014
Heteromunia pectoralis VII: 1278, 1272
Heteromyias albispecularis VI: 818, 705
Heteroscelus brevipes III: 180, 225
 incanus III: 188, 225
hiaticula (*Charadrius*) II: 828, 785
Hieraetus morphnoides II: 180, 105, 136, 137
himantopus (*Himantopus*) II: 758, 745
himantopus (*Micropalama*) III: 326, 352, 353
Himantopus himantopus II: 758, 745
 novaezealandiae II: 769, 745
hindwoodi (*Lichenostomus*) V: 720, 672
Hirundapus caudacutus IV: 1070, 1057
hirundinaceum (*Dicaeum*) VII: 1476, 1528
 HIRUNDINIDAE VII: 1495
hirundo (*Sterna*) III: 655, 608, 609
Hirundo ariel VII: 1568, 1529, 1560
 dasyptus VII: 1583, 1529, 1560
 daurica VII: 1549, 1529, 1560
 neoxena VII: 1517, 1529, 1560
 nigricans VII: 1553, 1529, 1560
 rustica VII: 1508, 1529, 1560
 tahitica VII: 1548
histrionica (*Phaps*) III: 896, 896
hollandicus (*Nymphicus*) IV: 176, 161
hortulana (*Emberiza*) VII: 1446
housei (*Amytomis*) V: 398, 416
humeralis (*Geopelia*) III: 957, 849
humilis (*Sericornis*) VI: 191, 97
huttoni (*Puffinus*) I: 655, 657
hybridus (*Chlidonias*) III: 765, 704, 705
 HYDROBATIDAE I: 674
Hydrophasianus chirurgus II: 675, 641
Hylacola cauta VI: 238, 192
 pyrrhopygia VI: 228, 192
Hymenolaimus malacrorhynchus I: 1255, 1229
hypoleucos (*Actitis*) III: 173, 224
hypoleucos (*Falco*) II: 291, 257, 264, 265
hypoxanthus (*Ploceus*) VII: 1097
ibis (*Ardea*) I: 1017, 981
 ICTERIDAE VII: 1445
icterotis (*Platycercus*) IV: 369, 384
igata (*Gerygone*) VI: 319, 288
ignita (*Lophura*) II: 423
impejanus (*Lophophorus*) II: 423
incanus (*Heteroscelus*) III: 188, 225
indica (*Chalcophaps*) III: 873, 880
indistincta (*Lichmera*) V: 970, 929
indus (*Haliaeetus*) II: 63, 105, 136, 137
inexpectata (*Pterodroma*) I: 460, 473
inornata (*Acanthiza*) VI: 475, 449
inornata (*Pachycephala*) VI: 1092, 1120
inquieta (*Myiagra*) VII: 121, 97
insularis (*Gerygone*) VI: 374
intermedia (*Ardea*) I: 978, 965
interpres (*Arenaria*) III: 194, 256
iredalei (*Acanthiza*) VI: 496, 449
Irediparra gallinacea II: 668, 641
iris (*Pitta*) V: 117, 97
isabella (*Stiltia*) III: 372, 384
isabellina (*Oenanthe*) VII: 1809, 1848
isura (*Lophoicinia*) II: 205, 72, 73
Ixobrychus flavicollis I: 1049, 1053
 minutus I: 1039, 1052
 novaezealandiae I: 1045
 sinensis I: 1047, 1052
 JACANIDAE II: 667
javanica (*Mirafra*) VII: 1021, 993
jocosus (*Pycnonotus*) VII: 1589, 769
jubata (*Chenonetta*) I: 1240, 1165
jugularis (*Nectarinia*) VII: 1464, 1528
juncidis (*Cisticola*) VII: 1700, 1561
katherina (*Acanthiza*) VI: 414, 289
kaupi (*Arses*) 77, 65
keartlandi (*Lichenostomus*) V: 834, 768
keraudrenii (*Manucodia*) VII: 663, 641
keri (*Sericornis*) VI: 200, 160
Ketupa ketupu IV: 811
ketupu (*Ketupa*) IV: 811
lagopus (*Lagopus*) II: 423
Lagopus lagopus II: 423
Lalage leucomela VII: 344, 352
 leucopygia VII: 353
 sueurii VII: 325, 352
lamberti (*Maurus*) V: 310, 321, 384
lanceolata (*Plectorhyncha*) V: 521, 545
 LANIIDAE VII: 816
lanioides (*Pachycephala*) VI: 1162, 1089
Lanius collurio VII: 822
 cristatus VII: 818, 769
lapponica (*Limosa*) III: 82, 97
 LARIDAE III: 384
Larinae III: 468
Larus atlanticus III: 484
 atricilla III: 561, 544, 545
 bulleri III: 545, 513, 545
 crassirostris III: 485, 480, 512
 dominicanus III: 490, 480, 481
 fuscus III: 516
 hartlaubii III: 517
 modestus III: 489
 novaezealandiae III: 517, 513, 545
 pacificus III: 471, 449, 480
 pipixcan III: 565, 544, 545
 ridibundus III: 558, 513, 545
 sabini III: 569, 512, 545
 scoresbii III: 470
lateralis (*Zosterops*) VII: 1745, 1753
lathamii (*Alectura*) II: 341, 368
lathamii (*Calyptorhynchus*) IV: 52, 64
Lathamus discolor IV: 412, 256
latirostris (*Calyptorhynchus*) IV: 78, 97
leachii (*Dacelo*) IV: 1139, 1152
leadbeateri (*Cacatua*) IV: 154, 160
Leiothrix lutea VII: 1597
Leipoa ocellata II: 331, 321
lepturus (*Phaethon*) I: 945, 949
leschenaultii (*Charadrius*) II: 868, 840
lessonii (*Pterodroma*) I: 420, 432
Leucocarbo (see *Phalacrocorax*)
leucocephalus (*Cladorhynchus*) II: 780, 776
leucogaster (*Haliaeetus*) II: 81, 240, 241
leucogaster (*Sula*) I: 781, 757, 797
leucomela (*Columba*) III: 847, 833
leucomela (*Lalage*) VII: 344, 352
leucomelas (*Calonectris*) I: 589, 593
leucophaeus (*Cormobates*) V: 197, 256
leucophrys (*Rhipidura*) VII: 225, 97
leucops (*Tregellasia*) VI: 765, 705
leucopsis (*Aphelocephala*) VI: 550, 481
leucoptera (*Pterodroma*) I: 501, 497
leucopterus (*Chlidonias*) III: 776, 704, 705
leucopterus (*Maurus*) V: 348, 289
leucopygia (*Tachycineta*) VII: 1585
leucopygia (*Lalage*) VII: 353
leucorhoa (*Oceanodroma*) I: 713, 665
leucorhynchus (*Artamus*) VII: 399, 385
Leucosarcia melanoleuca III: 964, 880
leucosternus (*Cheramoecca*) VII: 1499, 1529, 1560
leucotis (*Lichenostomus*) V: 778, 737
leucotis (*Monarcha*) VII: 64, 65
levigaster (*Gerygone*) VI: 351, 256
lewini (*Meliphaga*) V: 685, 641
lherminieri (*Puffinus*) I: 662, 664
Lichenostomus chrysops V: 724, 672
 cratitius V: 825, 768
 fasciolaris V: 759, 673
 flavescens V: 872, 769
 flavicollis V: 796, 737
 flavus V: 773, 736
 frenatus V: 715, 672
 fuscus V: 858, 769
 hindwoodi V: 720, 672
 keartlandi V: 834, 768
 leucotis V: 778, 737
 melanops V: 806, 737
 ornatus V: 840, 768
 penicillatus V: 879, 769
 plumulus V: 849, 768
 unicolor V: 763, 736
 versicolor V: 754, 673
 virescens V: 740, 673
Lichmera indistincta V: 970, 929
Limicola falcinellus III: 333, 288, 289
Limnodrominae III: 205
Limnodromus semipalmatus III: 206, 97
limosa (*Limosa*) III: 68, 96
Limosa haemastica III: 77, 96
 lapponica III: 82, 97
 limosa III: 68, 96
lineata (*Acanthiza*) VI: 535, 480
lineata (*Coracina*) VII: 286, 257
livia (*Columba*) III: 838, 832
lobata (*Biziura*) I: 1152, 1164
lobatus (*Phalaropus*) III: 352, 369
Locustella fasciolata VII: 1629
Lonchura castaneothorax VII: 1261, 1241
 flaviprymna VII: 1256, 1241
 malacca VII: 1098
 oryzivora VII: 1270, 1112
 pallida VII: 1276, 1241
 punctulata VII: 1250, 1241
longicauda (*Bartramia*) III: 125, 128
longicaudus (*Stercorarius*) III: 459, 385, 417, 448
longipennis (*Falco*) II: 268, 257, 264, 265






- longipes* (*Xenicus*) v: 76, 96
longirostris (*Dasyornis*) vi: 108, 96
longirostris (*Haematopus*) ii: 716, 744
longirostris (*Pterodroma*) i: 494, 497
Lophoictinia isura ii: 205, 72, 73
Lopholaimus antarcticus iii: 1009, 833
Lophophorus impejanus ii: 423
Lophortyx californicus ii: 358, 369
lophotes (*Ocyphaps*) iii: 903, 897
Lophura ignita ii: 423
nycthemera ii: 423
lovensis (*Ashbyia*) v: 1253, 1153
loyca (*Stumella*) vii: 1445
lucidus (*Chrysococcyx*) iv: 726, 736, 737
lugens (*Motacilla*) vii: 1436, 1400
Lugensa (see *Pterodroma*)
lunatus (*Melithreptus*) v: 935, 897
lumulata (*Anthochaera*) v: 503, 480
lumulata (*Zoothera*) vii: 1820, 1816
Luscinia megarhynchos vii: 1802
lutea (*Leiothrix*) vii: 1597
luteus (*Zosterops*) vii: 1737, 1752
lyalli (*Traversia*) v: 90
maccormicki (*Catharacta*) iii: 412, 385, 416
Machaerirhynchus flaviventer vii: 37, 65
macleayana (*Xanthotis*) v: 676, 640
macleayii (*Todiramphus*) iv: 1159, 1153
macloviana (*Muscisaxicola*) v: 56
macrocephala (*Petroica*) vi: 629, 609
Macronectes giganteus i: 356, 368
halli i: 370, 369
macroptera (*Pterodroma*) i: 410, 401
Macropygia amboinensis iii: 866, 849
macrurus (*Caprimulgus*) iv: 1024, 1024, 1025
maculata (*Chlamydera*) vii: 915, 897
maculoso (*Turnix*) ii: 426, 392
madagascariensis (*Numenius*) iii: 117, 160
magellanicus (*Spheniscus*) i: 259, 241
magentae (*Pterodroma*) i: 429, 432
magnificus (*Ptilinopus*) iii: 974, 960
magnificus (*Ptiloris*) vii: 654, 641
magnirostris (*Esacus*) ii: 708, 712
magnirostris (*Gerygone*) vi: 376, 256
magnirostris (*Sericornis*) vi: 205, 160
magnus (*Acanthornis*) vi: 221, 161
malacca (*Lonchura*) vii: 1098
malachurus (*Stipiturus*) v: 371, 385
malacorhynchus (*Hymenolaimus*) i: 1255, 1229
Malacorhynchus membranaceus i: 1247, 1237
maldivarum (*Glareola*) iii: 366, 384
mallee (*Stipiturus*) v: 381, 385
MALURIDAE v: 257
Malurus amabilis v: 327, 321
coronatus v: 261, 289
cyaneus v: 269, 320
elegans v: 339, 384
lamberti v: 310, 321, 384
leucopterus v: 348, 289
melanocephalus v: 361, 289
pulcherrimus v: 332, 384
splendens v: 294, 320
Manorina flavigula v: 650, 577
melanocephala v: 626, 576
melanophrys v: 609, 576
melanotis v: 664, 577
mantelli (*Porphyrio*) ii: 593, 616
Manucodia keraudrenii vii: 663, 641
marina (*Pelagodroma*) i: 692, 680
martinica (*Porphyrio*) ii: 576, 585
mathewsi (*Cincloramphus*) vii: 1674, 1721
matsudairae (*Oceanodroma*) i: 717, 665
mauri (*Calidris*) iii: 246
maxima (*Coracina*) vii: 317, 257
Megadyptes antipodes i: 236, 208
megala (*Gallinago*) iii: 42, 64
Megalurus gramineus vii: 1638, 1720
timoriensis vii: 1629, 1720
MEGAPODIIDAE ii: 322
Megapodius reinwardt ii: 323, 321
megarhyncha (*Colluricincla*) vi: 1169, 1121
megarhynchos (*Luscinia*) vii: 1802
melanocephala (*Manorina*) v: 626, 576
melanocephalus (*Malurus*) v: 361, 289
Melanodryas cucullata vi: 732, 704
vittata vi: 748, 704
melanogaster (*Anhinga*) i: 798, 828
melanogaster (*Turnix*) ii: 448, 393
melanogenis (*Phalacrocorax*) i: 857, 884
melanoleuca (*Leucosarcia*) iii: 964, 880
melanoleucos (*Phalacrocorax*) i: 902, 868
melanolophus (*Nycticorax*) i: 1037, 1020
melanophrys (*Diomedea*) i: 290, 296
melanophrys (*Manorina*) v: 609, 576
melanops (*Elsemyria*) ii: 892, 872
melanops (*Lichenostomus*) v: 806, 737
melanops (*Phylidonyris*) v: 1061, 1024
melanopsis (*Monarcha*) vii: 42, 64
melanorhamphus (*Corcorax*) vii: 775, 768
melanosternon (*Hamirostra*) ii: 193, 72, 73
melanotis (*Ailuroedus*) vii: 827, 864
melanotis (*Manorina*) v: 664, 577
melanotos (*Calidris*) iii: 287, 321
melanura (*Anthornis*) v: 1173, 1152
melanura (*Climacteris*) v: 242, 288
melanura (*Pachycephala*) vi: 1122, 1057
MELEAGRIDAE ii: 354
meleagris (*Numida*) ii: 424
Meleagris gallopavo ii: 354
Meliphaga albilineata v: 709, 736
gracilis v: 703, 641
lewinii v: 685, 641
notata v: 697, 641
MELIPHAGIDAE v: 457
Melithreptus affinis v: 948, 928
albogularis v: 927, 897
brevirostris v: 914, 928
gularis v: 897, 896
lunatus v: 935, 897
validirostris v: 908, 896
mellori (*Corvus*) vii: 729, 736
Melopsittacus undulatus iv: 504, 512
membranaceus (*Malacorhynchus*) i: 1247, 1237
mentalis (*Cracticus*) vii: 511, 512
Menura alberti v: 129, 129
novaeollandiae v: 142, 224
MENURIDAE v: 126
Merginae i: 1363
Mergus australis i: 1363
meridionalis (*Nestor*) iv: 623, 640
MEROPIDAE iv: 1209
Merops ornatus iv: 1210, 1216
merrotsyi (*Amytornis*) v: 426, 417
merula (*Turdus*) vii: 1844, 1817
metallica (*Aplonis*) vii: 1896, 1849
Microeca fascians vi: 577, 608
flavigaster vi: 591, 608
griseocephalus vi: 600, 608
Micropalama himantopus iii: 326, 352, 353
migrans (*Milvus*) ii: 53, 104, 105, 136
miles (*Vanellus*) ii: 943, 873
Milvus migrans ii: 53, 104, 105, 136
minor (*Artamus*) vii: 473, 480
minor (*Chionis*) ii: 684, 680
minor (*Eudypula*) i: 246, 241
minor (*Fregata*) i: 913, 933, 948
minuta (*Calidris*) iii: 250, 289, 320
minutilla (*Calidris*) iii: 279
minutillus (*Chrysococcyx*) iv: 744, 736, 737
minutus (*Anous*) iii: 801, 800, 801
minutus (*Ixobrychus*) i: 1039, 1052
minutus (*Numenius*) iii: 95, 128
Mirafra javanica vii: 1021, 993
modesta (*Gerygone*) vi: 341, 288
modesta (*Neochmia*) vii: 1188, 1113
modestus (*Gallirallus*) ii: 527
modestus (*Larus*) iii: 489
modestus (*Ramsayornis*) v: 1071, 929
modularis (*Prunella*) vii: 1059, 1112
Mohoua albicilla vi: 1023, 1025
novaeaeelandiae vi: 1041, 1025
ochrocephala vi: 1032, 1025
mollis (*Pterodroma*) i: 453, 472
molucca (*Threskiornis*) i: 1078, 1100
moluccensis (*Pitta*) v: 103, 128
Monarcha frater vii: 50, 64
leucotis vii: 64, 65
melanopsis vii: 42, 64
trivirgatus vii: 54, 64
monedula (*Corvus*) vii: 671
mongolus (*Charadrius*) ii: 860, 840
montanus (*Passer*) vii: 1089, 1112
monticola (*Oenanthe*) vii: 1809
Monticola solitarius vii: 1805, 1816
montifringilla (*Fringilla*) vii: 1302
morphnoides (*Hieraaetus*) ii: 180, 105, 136, 137
mortierii (*Gallinula*) ii: 615, 624
Morus (see *Sula*)
Motacilla alba vii: 1426, 1400
cinerea vii: 1422, 1401
citreola vii: 1415, 1401
flava vii: 1401, 1401
lugens vii: 1436, 1400
MOTACILLIDAE vii: 1356
mouki (*Gerygone*) vi: 308, 257
mullerii (*Ducula*) iii: 999, 992
multicolor (*Petroica*) vi: 04, 609, 640
multipunctata (*Tyto*) iv: 902, 865
Muscicapa sibirica vii: 1813
MUSCICAPIDAE vii: 1802
Muscisaxicola macloviana v: 56
Myiagra alecto vii: 114, 97
cyanoleuca vii: 104, 96
inquieta vii: 121, 97
rubecula vii: 88, 96
ruficollis vii: 82, 96
mystacalis (*Eurostopus*) iv: 1003, 1024, 1025
Myzomela erythrocephala v: 1158, 929
obscura v: 1150, 929
sanguinolenta v: 1165, 929
naevosa (*Stictonetta*) i: 1160, 1165
nana (*Acanthiza*) vi: 525, 480
narcissina (*Ficedula*) vii: 1813, 1848
natalis (*Ninox*) iv: 879, 833
natalis (*Zosterops*) vii: 1730, 1752
nativitatis (*Puffinus*) i: 644, 560
nebularia (*Tringa*) iii: 144, 193
Nectarinia jugularis vii: 1464, 1528
NECTARINIIDAE vii: 1462
neglecta (*Pterodroma*) i: 436, 464
Neochmia modesta vii: 1188, 1113
phaeton vii: 1167, 1145
ruficauda vii: 1178, 1145
temporalis vii: 1196, 1240
Neophema chrysogaster iv: 558, 545
chrysostoma iv: 528, 544
elegans iv: 540, 544
Neophema petrophila iv: 549, 545
pulchella iv: 573, 513
splendida iv: 584, 513







1976 Combined Index to Scientific Names


- Neopsephotus bourkii* IV: 521, 513
 NEOSITTIDAE VI: 999
neoxena (*Hirundo*) VII: 1517, 1529, 1560
neréis (*Oceanites*) I: 686, 680
neréis (*Sterna*) III: 725, 672
nesiotis (*Anas*) I: 1300
Nestor meridionalis IV: 623, 640
 notabilis IV: 613, 640
 productus IV: 633
Nettapus coromandelianus I: 1234, 1236
 pulchellus I: 1229, 1236
newtoniana (*Prionodura*) VII: 860, 865
niger (*Certhionyx*) V: 1133, 1057
niger (*Chlidonias*) III: 785, 704, 705
nigra (*Phylidonyris*) V: 1039, 1024
nigricans (*Hirundo*) VII: 1553, 1529, 1560
nigricincta (*Aphelocephala*) VI: 568, 481
nigripennis (*Pterodroma*) I: 478, 489
nigripes (*Diomedea*) I: 290
nigrogularis (*Cracticus*) VII: 516, 481
nigrogularis (*Psophodes*) VI: 929, 865
nilotica (*Sterna*) III: 576, 576
Ninox connivens IV: 841, 833
 natalis IV: 879, 833
 novaeseelandiae IV: 852, 864
 rufa IV: 833, 832
 scutulata IV: 875, 833
 strenua IV: 818, 832
nivalis (*Phalacrocorax*) I: 854, 884
nivea (*Pagodroma*) I: 402, 400
noctua (*Athene*) IV: 812, 864
norfolciensis (*Gallinocolumba*) III: 969
Northiella haematogaster IV: 400, 416
notabilis (*Nestor*) IV: 613, 640
notata (*Meliphaga*) V: 697, 641
Notiomystis cincta V: 954, 1152
novaeguineae (*Dacelo*) IV: 1122, 1121
novaehollandiae (*Accipiter*) II: 122, 177
novaehollandiae (*Ardea*) I: 986, 980
novaehollandiae (*Cereopsis*) I: 1194, 1197
novaehollandiae (*Coracina*) VII: 266, 256
novaehollandiae (*Dromaius*) I: 47, 56
novaehollandiae (*Larus*) III: 517, 513, 545
novaehollandiae (*Menura*) V: 142, 224
novaehollandiae (*Phylidonyris*) V: 1009, 1024
novaehollandiae (*Recurvirostra*) II: 790, 776
novaehollandiae (*Scythrops*) IV: 782, 769
novaehollandiae (*Tachybaptus*) I: 92, 112
novaehollandiae (*Tyto*) IV: 908, 960
novaeseelandiae (*Anthus*) VII: 1359, 1369
novaeseelandiae (*Aythya*) I: 1358, 1317
novaeseelandiae (*Falco*) II: 279, 304
novaeseelandiae (*Hemiphaga*) III: 1016, 993
novaeseelandiae (*Mohoua*) VI: 1041, 1025
novaeseelandiae (*Ninox*) IV: 852, 864
novaeseelandiae (*Prothemadera*) V: 1191, 1152
novaeseelandiae (*Thimomis*) II: 912, 784
novaezelandiae (*Coturnix*) II: 402
novaezelandiae (*Cyanoramphus*) IV: 475, 449
novaezelandiae (*Himantopus*) II: 769, 745
novaezelandiae (*Ixobrychus*) I: 1045
nuchalis (*Chlamydera*) VII: 936, 897
Numenius arquata III: 116
 madagascariensis III: 117, 160
 minutus III: 95, 128
 phaeopus III: 103, 129
 tahitiensis III: 112, 129
Numida meleagris II: 424
nycthemera (*Lophura*) II: 423
nycticorax (*Nycticorax*) I: 1028, 1021
Nycticorax caledonicus I: 1030, 1021
 melanolophus I: 1037, 1020
 nycticorax I: 1028, 1021
Nymphicus hollandicus IV: 176, 161
obscura (*Myzomela*) V: 1150, 929
obscurus (*Charadrius*) II: 818, 784
occidentalis (*Pezoporus*) IV: 606, 512
occidentalis (*Psophodes*) VI: 949, 865
oceanicus (*Oceanites*) I: 675, 665
Oceanites nereis I: 686, 680
 oceanicus I: 675, 665
 OCEANITIDAE see *Hydrobatidae*
Oceanodroma leucorhoa I: 713, 665
 matsudairae I: 717, 665
ocellata (*Leipoa*) II: 331, 321
ocellatus (*Podargus*) IV: 990, 993
ochrocephala (*Mohoua*) VI: 1032, 1025
ochropus (*Tringa*) III: 158
oculata (*Stagonopleura*) VII: 1235, 1240
Ocyphaps lophotes III: 903, 897
 ODONTOPHORIDAE see *Phasianidae*
Oenanthe isabellina VII: 1809, 1848
 monticola VII: 1809
 olivacea (*Amauromis*) II: 538, 552
 olivacea (*Gerygone*) VI: 399, 257
 olivacea (*Pachycephala*) VI: 1075, 1088
 olivaceus (*Psophodes*) VI: 915, 865
 olivei (*Tumix*) II: 445, 424
 olor (*Cygnus*) I: 1175, 1196
 onslowi (*Phalacrocorax*) I: 881, 885
 Oreoica gutturalis VI: 1064, 1056
 Oreortyx pictus II: 424
 Oreoscopus gutturalis VI: 143, 161
 orientalis (*Acrocephalus*) VII: 1623, 1561
 orientalis (*Eurystomus*) IV: 1227, 1216
Origma solitaria VI: 135, 161
 ORIOLIDAE VII: 356
Oriolus flavocinctus VII: 359, 353
 sagittatus VII: 366, 353
orix (*Euplectes*) VII: 1097
ornatus (*Lichenostomus*) V: 840, 768
ornatus (*Meropys*) IV: 1210, 1216
orru (*Corvus*) VII: 757, 737
 ORTHONYXCHIDAE VI: 840
Orthonyx spaldingii VI: 850, 737
 temminckii VI: 841, 737
oryzivora (*Lonchura*) VII: 1270, 1112
osculans (*Chrysococcyx*) IV: 705, 736, 737
 OTIDIDAE II: 635
owenii (*Apteryx*) I: 80, 73
Oxyura australis I: 1142, 1164
 vittata I: 1141
Oxyurinae I: 1140
Pachycephala inornata VI: 1092, 1120
 lanioides VI: 1162, 1089
 melanura VI: 1122, 1057
 olivacea VI: 1075, 1088
 pectoralis VI: 1100, 1057
 rufiventris VI: 1137, 1089
 rufogularis VI: 1084, 1120
 simplex VI: 1130, 1089
 PACHYCEPHALIDAE VI: 1020
Pachyptila belcheri I: 534, 528
 crassirostris I: 550, 528
 desolata I: 526, 529
 salvini I: 521, 529
 turtur I: 541, 528
 vittata I: 515, 529
pachyrhynchus (*Eudypetes*) I: 195, 209
pacifica (*Ardea*) I: 955, 964
pacificus (*Apus*) IV: 1081, 1057
pacificus (*Larus*) III: 471, 449, 480
pacificus (*Puffinus*) I: 593, 624, 625
Pagodroma nivea I: 402, 400
pallida (*Lonchura*) VII: 1276, 1241
pallidus (*Cuculus*) IV: 662, 672
palpebrata (*Phoebetria*) I: 346, 329
palpebrosa (*Gerygone*) VI: 391, 257
Pandion haliaetus II: 225, 256
Papasula (see *Sula*)
papua (*Pygoscelis*) I: 147, 208
papuensis (*Coracina*) VII: 291, 256
papuensis (*Podargus*) IV: 983, 993
paradisaea (*Sterna*) III: 668, 640, 641
 PARADISAEIDAE VII: 630
paradisaeus (*Ptiloris*) VII: 634, 640
paradoxa (*Anthochaera*) V: 482, 449
parasiticus (*Stercorarius*) III: 448, 385, 417, 448
 PARDALOTIDAE VI: 27
Pardalotus punctatus VI: 31, 64
 quadragintus VI: 51, 64
 rubricatus VI: 60, 65
 striatus VI: 69, 65
parkinsoni (*Procellaria*) I: 573, 561
Passer domesticus VII: 1070, 1112
 montanus VII: 1089, 1112
 PASSERIDAE VII: 1067
 PASSERIFORMES V: 51
pastinator (*Cacatua*) IV: 136, 129
patagonicus (*Aptenodytes*) I: 126, 144
Pavo cristatus II: 372
pectoralis (*Aphelocephala*) VI: 561, 481
pectoralis (*Certhionyx*) V: 1126, 1057
pectoralis (*Coturnix*) II: 390, 385
pectoralis (*Dryolimnas*) II: 529, 521
pectoralis (*Heteromunia*) VII: 1278, 1272
pectoralis (*Pachycephala*) VI: 1100, 1057
 PEDIONOMIDAE II: 649
Pedionomus torquatus II: 649, 640
Pelagodroma marina I: 692, 680
 PELECANIDAE I: 737
 PELECANIFORMES I: 737
Pelecanoides georgicus I: 719, 688
 urinatrix I: 724, 688
 PELECANOIDIDAE I: 719
Pelecanus conspicillatus I: 738, 740
penicillatus (*Lichenostomus*) V: 879, 769
perdix (*Perdix*) II: 423
Perdix perdix II: 423
peregrinus (*Falco*) II: 307, 257, 264, 265
personata (*Poephila*) VII: 1157, 1144
personatus (*Artamus*) VII: 412, 385
Petroica australis VI: 706, 609
 goodenovii VI: 649, 640
 macrocephala VI: 629, 609
 multicolor VI: 04, 609, 640
 phoenicea VI: 666, 640
 rodinogaster VI: 696, 641
 rosea VI: 684, 641
 traversi VI: 725, 609
 PETROICIDAE VI: 575
Petrophassa albipennis III: 933, 896
 rufipennis III: 938, 896
petrophila (*Neophema*) IV: 549, 545
Pezoporus occidentalis IV: 606, 512
 wallicus IV: 592, 512
phaeopus (*Numenius*) III: 103, 129
Phaethon lepturus I: 945, 949
 rubricauda I: 935, 949
 PHAETHONTIDAE I: 935
phaeton (*Neochmia*) VII: 1167, 1145
 PHALACROCORACIDAE I: 808
Phalacrocorax bransfieldensis I: 847, 884
 campbelli I: 889, 932
 carbo I: 810, 829
 carunculatus I: 872, 885
 chalconotus I: 876, 885
 colensoi I: 885, 932
 featherstoni I: 844, 869
 fuscescens I: 896, 869
 georgianus I: 851
 melanogenis I: 857, 884
 melanoleucos I: 902, 868
 nivalis I: 854, 884






- onslowi* I: 881, 885
punctatus I: 838, 869
purpurascens I: 867, 884
ranfurlyi I: 893, 932
sulcirostris I: 830, 829
varius I: 819, 868
verrucosus I: 863, 884
Phalaropodinae III: 347
Phalaropus fulicaria III: 360, 369
lobatus III: 352, 369
Phaps chalcoptera III: 881, 881
elegans III: 890, 881
histrionica III: 896, 896
phasiana (Rhipidura) VII: 214, 224
phasianellus (Tympanuchus) II: 423
PHASIANIDAE II: 357
phasianinus (Centropus) IV: 793, 769
Phasianus colchicus II: 377, 384
Philemon argenticeps V: 538, 481
buceroides V: 529, 481
citreogularis V: 561, 544
corniculatus V: 546, 481
Philesturnus carunculatus VII: 986, 992
philippensis (Gallirallus) II: 495, 489
Philomachus pugnax III: 341, 368
philomelos (Turdus) VII: 1877, 1817
Phoebetria fusca I: 338, 328
palpebrata I: 346, 329
phoenicea (Petroica) VI: 666, 640
PHOENICOPTERIDAE I: 1111
PHOENICOPTERIFORMES I: 1111
Phoenicopterus ruber I: 1111
phrygia (Xanthomyza) V: 573, 545
Phylidonyris albifrons V: 1052, 1024
melanops V: 1061, 1024
nigra V: 1039, 1024
novaehollandiae V: 1009, 1024
pyrrhoptera V: 998, 1056
Phylloscopus borealis VII: 1601, 1720
trochilus VII: 1600
picata (Ardea) I: 974, 1069
picta (Grantiella) V: 989, 545
pictum (Emblema) VII: 1243, 1145
pictus (Oreortyx) II: 424
picumnus (Climacteris) V: 228, 257
pipixcan (Larus) III: 565, 544, 545
Piranga rubra VII: 1446
Pitta erythrogaster V: 95, 97
iris V: 117, 97
moluccensis V: 103, 128
versicolor V: 106, 128
PITTIDAE V: 92
Platalea flavipes I: 1104, 1101
regia I: 1095, 1101
PLATALEIDAE I: 1071
Platycercus adscitus IV: 356, 352, 353
caledonicus IV: 313, 320
elegans IV: 321, 320, 321
eximius IV: 341, 352
icterotis IV: 369, 384
venustus IV: 364, 353
platyrhynchos (Anas) I: 1313, 1301
Plectorhyncha lanceolata V: 521, 545
Plegadis falcinellus I: 1072, 1069
PLOCEIDAE VII: 1097
Ploceus hypoxanthus VII: 1097
plumifera (Geophaps) III: 912, 897
plumulus (Lichenostomus) V: 849, 768
Pluvialis apricaria II: 811
dominica II: 810
fulva II: 800, 777
squatarola II: 811, 777
PODARGIDAE IV: 964
Podargus ocellatus IV: 990, 993
papuensis IV: 983, 993
strigoides IV: 965, 992
Podiceps cristatus I: 115, 113
PODICIPEDIDAE I: 91
PODICIPEDIFORMES I: 91
Poecilodryas superciliosa VI: 812, 705
Poephila acuticauda VII: 1139, 1144
cincta VII: 1148, 1144
personata VII: 1157, 1144
poiciloptilus (Botaurus) I: 1056, 1053
poliocephalus (Polioccephalus) I: 100, 112
poliocephalus (Turdus) VII: 1870, 1817
Polioccephalus poliocephalus I: 100, 112
rufopectus I: 107, 113
Polytelis alexandrae IV: 306, 289
anthopeplus IV: 295, 289
swainsonii IV: 287, 161
pomarinus (Stercorarius) III: 438, 385, 417, 448
POMATOSTOMIDAE VI: 860
Pomatostomus halli VI: 899, 864
ruficeps VI: 905, 864
supercilius VI: 881, 864
temporalis VI: 861, 865
porphyrio (Porphyrio) II: 577, 616
Porphyrio albus II: 592
mantelli II: 593, 616
martinica II: 576, 585
porphyrio II: 577, 616
porphyrocephala (Glossopsitta) IV: 241, 256
Porzana cinerea II: 567, 584
fluminea II: 551, 553
fusca II: 557, 584
pusilla II: 544, 553
tabuensis II: 559, 584
Prionodura newtoniana VII: 860, 865
Probosciger aterrimus IV: 32, 64
Procellaria aequinoctialis I: 557, 561
cinerea I: 579, 592
parkinsoni I: 573, 561
westlandica I: 566, 561
PROCELLARIIDAE I: 355
PROCELLARIIFORMES I: 263
Procelsterna cerulea III: 818, 800, 801
productus (Nestor) IV: 633
Prothemadera novaeseelandiae V: 1191, 1152
Prunella modularis VII: 1059, 1112
PRUNELLIDAE VII: 1057
Psephotus chrysopterygius IV: 450, 448
dissimilis IV: 458, 448
haematotomus IV: 425, 417
pulcherrimus IV: 465, 448
varius IV: 441, 417
Pseudobulweria (see *Pterodroma*)
PSITTACIDAE IV: 192
PSITTACIFORMES IV: 25
Psitteuteles versicolor IV: 221, 225
Psophodes cristatus VI: 942, 865
nigrogularis VI: 929, 865
occidentalis VI: 949, 865
olivaceus VI: 915, 865
Pterodroma alba I: 445, 443
arminjoniensis I: 440, 465
axillaris I: 485, 489
barauii I: 475, 473
brevirostris I: 448, 472
cervicalis I: 470, 488
cookii I: 488, 496
externa I: 468, 488
inexpectata I: 460, 473
lessonii I: 420, 432
leucoptera I: 501, 497
longirostris I: 494, 497
macroptera I: 410, 401
magentae I: 429, 432
mollis I: 453, 472
neglecta I: 436, 464
nigripennis I: 478, 489
pycrofti I: 497, 496
rostrata I: 432, 433
solandri I: 425, 401
Ptilinopus cinctus III: 970, 960
magnificus III: 974, 960
regina III: 986, 961
superbus III: 980, 961
PTILONORHYNCHIDAE VII: 823
Ptilonorhynchus violaceus VII: 888, 896
Ptiloris magnificus VII: 654, 641
paradiseus VII: 634, 640
victoriae VII: 643, 640
puffinus (Puffinus) I: 646, 657
Puffinus assimilis I: 666, 664
bulleri I: 603, 625
carneipes I: 609, 624
creatopus I: 616, 625
gavia I: 649, 657
gravis I: 619, 592
griseus I: 622, 656
huttoni I: 655, 657
lherminieri I: 662, 664
navitatis I: 644, 560
pacificus I: 593, 624, 625
puffinus I: 646, 657
tenuirostris I: 632, 656
pugnax (Philomachus) III: 341, 368
pulchella (Neophema) IV: 573, 513
pulchellus (Nettapus) I: 1229, 1236
pulcherrimus (Malurus) V: 332, 384
pulcherrimus (Psephotus) IV: 465, 448
pulverulenta (Eopsaltria) VI: 805, 704
punctata (Bowdleria) VII: 1649, 1720
punctatum (Cinclosoma) VI: 956, 896
punctatus (Pardalotus) VI: 31, 64
punctatus (Phalacrocorax) I: 838, 869
punctulata (Lonchura) VII: 1250, 1241
pumelli (Amytornis) V: 446, 448
purpurascens (Phalacrocorax) I: 867, 884
Purpureicephalus spurius IV: 391, 384
pusilla (Acanthiza) VI: 418, 289
pusilla (Alcedo) IV: 1105, 1120
pusilla (Calidris) III: 245
pusilla (Coenocorypha) III: 47, 65
pusilla (Glossopsitta) IV: 236, 256
pusilla (Porzana) II: 544, 553
PYCNONOTIDAE VII: 1587
Pycnonotus cafer VII: 1587
jocosus VII: 1589, 769
Pycnoptilus floccosus VI: 125, 161
pycrofti (Pterodroma) I: 497, 496
Pygoscelis adeliae I: 158, 145
antarctica I: 174, 145
papua I: 147, 208
Pyrrholaemus brunneus VI: 269, 193
pyrrhoptera (Phylidonyris) V: 998, 1056
pyrrhopygia (Hylacola) VI: 228, 192
pyrrhopygia (Todiramphus) IV: 1170, 1153
pyrrhothorax (Turnix) II: 461, 425
pyrrhula (Pyrrhula) VII: 1302
Pyrrhula pyrrhula VII: 1302
quadrangulus (Pardalotus) VI: 51, 64
querquedula (Anas) I: 1335, 1237
quoyi (Cracticus) VII: 482, 481
radiatus (Erythrotriorchis) II: 214, 192
radjah (Tadorna) I: 1218, 1228
RALLIDAE II: 486
Rallina fasciata II: 493, 488
tricolor II: 488, 488
Ramsayornis fasciatus V: 1078, 929
modestus V: 1071, 929
ranfurlyi (Phalacrocorax) I: 893, 932
Recurvirostra novaehollandiae II: 790, 776
RECURVIROSTRIDAE II: 757
reevesii (Syrnaticus) II: 423
regia (Platalea) I: 1095, 1101
regina (Ptilinopus) III: 986, 961







1978 Combined Index to Scientific Names


- reguloides* (*Acanthiza*) VI: 482, 449
reinwardt (*Megapodius*) II: 323, 321
religiosa (*Gracula*) VII: 1892
Rhipidura fuliginosa VII: 174, 224
 leucophrys VII: 225, 97
 phasiana VII: 214, 224
 rufifrons VII: 160, 224
 rufiventris VII: 218, 224
rhynchotis (*Anas*) I: 1340, 1316
ridibundus (*Larus*) III: 558, 513, 545
riparia (*Riparia*) VII: 1586
Riparia riparia VII: 1586
 'risoria' (*Streptopelia*) III: 864, 832
robustirostris (*Acanthiza*) VI: 468, 448
robustus (*Eudypetes*) I: 205, 209
rodinogaster (*Petroica*) VI: 696, 641
roratus (*Eclectus*) IV: 248, 257
rosea (*Petroica*) VI: 684, 641
roseicapilla (see *Eolophus*)
roseicapillus (*Eolophus*) IV: 104, 128
roseus (*Sturnus*) VII: 1936
rostrata (*Pterodroma*) I: 432, 433
Rostratula benghalensis II: 658, 640
 ROSTRATULIDAE II: 658
rubecula (*Erethacus*) VII: 1802
rubecula (*Myiagra*) VII: 88, 96
ruber (*Phoenicopterus*) I: 1111
rubicundus (*Grus*) II: 470, 456
rubra (*Piranga*) VII: 1446
rubricatus (*Pardalotus*) VI: 60, 65
rubricauda (*Phaethon*) I: 935, 949
rubricollis (*Thimornis*) II: 902, 872
rufa (*Alectoris*) II: 422
rufa (*Climacteris*) V: 247, 288
rufa (*Ninox*) IV: 833, 832
rufescens (*Atrichornis*) V: 176, 225
rufescens (*Bowdleria*) VII: 1667
ruficapillus (*Charadrius*) II: 836, 800
ruficauda (*Gerygone*) VI: 414
ruficauda (*Neochmia*) VII: 1178, 1145
ruficeps (*Pomatostomus*) VI: 905, 864
ruficeps (*Stipiturus*) V: 386, 385
ruficollis (*Calidris*) III: 258, 289, 320
ruficollis (*Myiagra*) VII: 82, 96
rufifrons (*Rhipidura*) 160, 224
rufipennis (*Petrophassa*) III: 938, 896
rufiventris (*Pachycephala*) VI: 1137, 1089
rufiventris (*Rhipidura*) VII: 218, 224
rufogularis (*Acanthagenys*) V: 508, 480
rufogularis (*Conopophila*) V: 1091, 1025
rufogularis (*Pachycephala*) VI: 1084, 1120
rufopectus (*Polioccephalus*) I: 107, 113
russatus (*Chrysococcyx*) IV: 752, 736, 737
rustica (*Hirundo*) VII: 1508, 1529, 1560
sabini (*Larus*) III: 569, 512, 545
sacra (*Ardea*) I: 1002, 980
sagittata (*Chthonicola*) VI: 278, 192
sagittatus (*Oriolus*) VII: 366, 353
salvini (*Pachyptila*) I: 521, 529
sanctus (*Todiramphus*) IV: 1178, 1184
sanguinea (*Cacatua*) IV: 144, 129
sanguinolenta (*Myzomela*) V: 1165, 929
saturatus (*Cuculus*) IV: 653, 672
saundersi (*Sterna*) III: 724
scapularis (*Alisterus*) IV: 269, 288
Scelogaux albigaster IV: 884
Scenopoeetes dentirostris VII: 848, 865
schlegeli (*Eudypetes*) I: 230, 240
schoeniclus (*Emberiza*) VII: 1446
sclateri (*Eudypetes*) I: 215, 209
scolopacea (*Eudynamys*) IV: 760, 768
 SCOLOPACIDAE III: 25
scoresbii (*Larus*) III: 470
scripta (*Geophaps*) III: 927, 928
scriptus (*Elanus*) II: 45, 40, 41
scutulata (*Ninox*) IV: 875, 833
Scythrops novaehollandiae IV: 782, 769
semipalmata (*Anseranas*) I: 1114, 1132
semipalmatus (*Limnodromus*) III: 206, 97
senegalensis (*Streptopelia*) III: 852, 848
Sericornis beccarii VI: 215, 160
 citreogularis VI: 149, 160
 frontalis VI: 161, 97
 humilis VI: 191, 97
 keri VI: 200, 160
 magnirostris VI: 205, 160
 chrysocephalus VII: 873, 896
Serinus canarius VII: 1302
serrator (*Sula*) I: 751, 756
sibilatrix (*Anas*) I: 1263, 1253
sibirica (*Muscicapa*) VII: 1813
simplex (*Pachycephala*) VI: 1130, 1089
sinensis (*Ixobrychus*) I: 1047, 1052
skua (*Catharacta*) III: 388, 385, 416
Smicronis brevirostris VI: 292, 480
smithii (*Geophaps*) III: 927, 928
solandri (*Pterodroma*) I: 425, 401
solitaria (*Origma*) VI: 135, 161
solitaria (*Tringa*) III: 156, 224
solitarius (*Monticola*) VII: 1805, 1816
spaldingii (*Orthonyx*) VI: 850, 737
Sphecotheres viridis VII: 380, 384
 SPHENISCIDAE I: 125
 SPHENISCIFORMES I: 125
Spheniscus magellanicus I: 259, 241
sphenurus (*Haliastur*) II: 71, 104, 105, 136
spilonotus (*Circus*) II: 105
spiniollis (*Threskiornis*) I: 1087, 1100
spinus (*Carduelis*) VII: 1302
splendens (*Corvus*) VII: 770, 737
splendens (*Malurus*) V: 294, 320
splendida (*Neophema*) IV: 584, 513
spodiopygius (*Aerodramus*) IV: 1058, 1056
spurius (*Purpureicephalus*) IV: 391, 384
squatarola (*Phuvalis*) II: 811, 777
stagnatilis (*Tringa*) III: 136, 192
Stagonopleura bella VII: 1224, 1240
 guttata VII: 1212, 1240
 oculata VII: 1235, 1240
Steganopus tricolor III: 348, 256
stentoreus (*Acrocephalus*) see *A. australis*
stenura (*Gallinago*) III: 38, 64
Stercorariinae III: 385
Stercorarius longicaudus III: 459, 385, 417, 448
 parasiticus III: 448, 385, 417, 448
 pomarinus III: 438, 385, 417, 448
Sterna albigrons VI: 709, 672
albostriatus III: 699, 640, 641
anaethetus III: 738, 673
bengalensis III: 597, 577
bergii III: 605, 577
caspia III: 586, 576
dougallii III: 621, 608, 609
fuscata III: 752, 673
hirundo III: 655, 608, 609
nereis III: 725, 672
nilotica III: 576, 576
paradisaea III: 668, 640, 641
saundersi III: 724
striata III: 632, 608, 609
sumatrana III: 645, 608, 609
virgata III: 692, 640, 641
vittata III: 677, 640, 641
Sterninae III: 573
Stictonetta naevosa I: 1160, 1165
Siltia isabella III: 372, 384
Stipiturus malachurus V: 371, 385
 mallee V: 381, 385
 ruficeps V: 386, 385
stolidus (*Anous*) III: 789, 800, 801
strenua (*Ninox*) IV: 818, 832
strenua (*Zosterops*) VII: 1793, 1752
Strepera fuliginosa VII: 556, 513, 608
 graculina VII: 529, 513, 608
 versicolor VII: 564, 513, 609
Streptopelia chinensis III: 864, 832
 'risoria' III: 856, 848
 senegalensis III: 852, 848
striata (*Ardea*) I: 1009, 1020
striata (*Geopelia*) III: 949, 929
striata (*Sterna*) III: 632, 608, 609
striatus (*Amytomis*) V: 414, 417
striatus (*Pardalotus*) VI: 69, 65
 STRIGIDAE IV: 810
 STRIGIFORMES IV: 807
strigoides (*Podargus*) IV: 965, 992
Strigops habroptilus IV: 633, 641
Strix aluco IV: 888
Struthidea cinerea VII: 797, 768
Struthio camelus I: 68
 STRUTHIONIDAE I: 68
 STRUTHIONIFORMES I: 47
Sturnella loyca VII: 1445
 STURNIDAE VII: 1892
sturninus (*Sturnus*) VII: 1934, 1849
Sturnus roseus VII: 1936
 sturninus VII: 1934, 1849
 vulgaris VII: 1906, 1849
subcristata (*Aviceda*) II: 26, 40, 41
subminuta (*Calidris*) III: 270, 289, 320
subniger (*Falco*) II: 299, 305, 320
subruficollis (*Tryngites*) III: 329, 321
sueurii (*Lalage*) VII: 325, 352
sula (*Sula*) I: 773, 796, 797
Sula abbotti I: 791, 796, 797
 capensis I: 749, 756
 dactylatra I: 763, 757, 797
 leucogaster I: 781, 757, 797
 serrator I: 751, 756
 sula I: 773, 796, 797
sulcirostris (*Phalacrocorax*) I: 830, 829
 SULIDAE I: 748
sumatrana (*Ardea*) I: 962, 964
sumatrana (*Sterna*) III: 645, 608, 609
superbus (*Ptilinopus*) III: 980, 961
superciliaris (*Drymodes*) VI: 826, 737
superciliosa (*Anas*) I: 1320, 1301
superciliosa (*Poecilodryas*) VI: 812, 705
supercilosus (*Acanthorhynchus*) V: 1118, 1056
supercilosus (*Artamus*) VII: 424, 385
supercilosus (*Pomatostomus*) VI: 881, 864
swainsonii (*Polytelis*) IV: 287, 161
sylvestris (*Gallirallus*) II: 520, 489
sylvia (*Tanyptera*) IV: 1113, 1120
Sylvia atricapilla VII: 1597
 communis VII: 1597
 SYLVIIDAE VII: 1596
Syma torotoro IV: 1155, 1153
Symnaticus reevesii II: 423
tabuensis (*Porzana*) II: 559, 584
Tachybaptus novaehollandiae I: 92, 112
Tachycineta leucopyga VII: 1585
Tadorna radjah I: 1218, 1228
 tadornoides I: 1210, 1228
 variegata I: 1202, 1229
Tadorninae I: 1201
tadornoides (*Tadorna*) I: 1210, 1228
Taeniopygia bichenovii VII: 1127, 1113
 guttata VII: 1102, 1113
tahitica (*Hirundo*) VII: 1548
tahitiensis (*Numenius*) III: 112, 129
taitensis (*Eudynamys*) IV: 773, 768
Tanyptera galatea IV: 1112
 sylvia IV: 1113, 1120
tasmanicus (*Corvus*) VII: 717, 736
teesa (*Butastur*) II: 162
telescopthalmus (*Arses*) VII: 71, 65





- temminckii* (*Orthonyx*) VI: 841, 737
temporalis (*Neochmia*) VII: 1196, 1240
temporalis (*Pomatostomus*) VI: 861, 865
tenebricosa (*Tyto*) IV: 890, 865
tenebrosa (*Gallinula*) II: 600, 617
tenebrosa (*Gerygone*) VI: 345, 256
tenuirostris (*Acanthorhynchus*) V: 1104, 1056
tenuirostris (*Anous*) III: 812, 800, 801
tenuirostris (*Cacatua*) IV: 127, 129
tenuirostris (*Calidris*) III: 214, 257
tenuirostris (*Coracina*) VII: 305, 257
tenuirostris (*Puffinus*) I: 632, 656
tenuirostris (*Zosterops*) VII: 1794, 1752
Tetrao tetrax II: 423
tetrax (*Tetrao*) II: 423
textilis (*Amytornis*) V: 436, 448
Thalassornis antarctica I: 384, 400
Thinornis novaeseelandiae II: 912, 784
rubricollis II: 902, 872
Threskiornis molucca I: 1078, 1100
spiniicollis I: 1087, 1100
 THRESKIORNITHIDAE (see *Plataleidae*)
tibicen (*Gymnorhina*) VII: 579, 609
timoriensis (*Megalurina*) VII: 1629, 1720
Todiramphus chloris IV: 1201, 1184
macleayii IV: 1159, 1153
pyrrhopygia IV: 1170, 1153
sanctus IV: 1178, 1184
torotoro (*Syma*) IV: 1155, 1153
torquatus (*Cracticus*) VII: 490, 512
torquatus (*Pedionomus*) II: 649, 640
totanus (*Tringa*) III: 144, 161
traversi (*Petroica*) VI: 725, 609
Traversia lyalli V: 90
Tregellasia capito VI: 756, 705
leucops VI: 765, 705
Trichodere cockerelli V: 985, 640
Trichoglossus chlorolepidotus IV: 212, 224
haematodus IV: 195, 224
trichroa (*Erythrura*) VII: 1284, 1272
tricolor (*Charadrius*) II: 892
tricolor (*Epthianura*) V: 1207, 1153
tricolor (*Rallina*) II: 488, 488
tricolor (*Steganopus*) III: 348, 256
tricolor (*Vanellus*) II: 935, 873
Tringa erythropus III: 128, 161
flavipes III: 153, 192
glareola III: 158, 224
guttifer III: 152
nebularia III: 144, 193
ochropus III: 158
solitaria III: 156, 224
stagnatilis III: 136, 192
totanus III: 144, 161
 Tringinae III: 67
tristis (*Acridotheres*) VII: 1937, 769
trivirgatus (*Monarcha*) VII: 54, 64
trochilus (*Phylloscopus*) VII: 1600
tropica (*Fregatta*) I: 700, 681
Tryngites subruficollis III: 329, 321
Turdus merula VII: 1844, 1817
philomelos VII: 1877, 1817
poliocephalus VII: 1870, 1817
Turnagra capensis VII: 958, 992
 TURNAGRIDAE VII: 957
 TURNICIDAE II: 425
 TURNICIFORMES II: 425
Turnix castanota II: 441, 424
maculosa II: 426, 392
melanogaster II: 448, 393
olivei II: 445, 424
pyrrhothorax II: 461, 425
varia II: 433, 393
velox II: 454, 425
turtur (*Pachyptila*) I: 541, 528
Tympanuchus cupido II: 424
Tympanuchus phasianellus II: 423
 TYRANNIDAE V: 55
tyrannus (*Tyrannus*) V: 56
Tyrannus tyrannus V: 56
Tyto alba IV: 930, 961
capensis IV: 950, 961
multipunctata IV: 902, 865
novaeollandiae IV: 908, 960
tenebricosa IV: 890, 865
 TYTONIDAE IV: 889
undulatus (*Melopsittacus*) IV: 504, 512
unicolor (*Haematopus*) II: 748, 713
unicolor (*Lichenostomus*) V: 763, 736
unicolor (*Cyanoramphus*) IV: 469, 449
urinatrix (*Pelecanoides*) I: 724, 688
uropygialis (*Acanthiza*) VI: 458, 448
validirostris (*Melithreptus*) V: 908, 896
Vanelliinae II: 928
vanellus (*Vanellus*) II: 958
Vanellus armatus II: 958
miles II: 943, 873
tricolor II: 935, 873
vanellus II: 958
vanikorensis (*Aerodramus*) IV: 1067, 1056
varia (*Turnix*) II: 433, 393
variegata (*Tadorna*) I: 1202, 1229
variegatus (*Certhionyx*) V: 1143, 1057
variolosus (*Cacomantis*) IV: 677, 673
varius (*Gallus*) II: 423
varius (*Phalacrocorax*) I: 819, 868
varius (*Psephotus*) IV: 441, 417
velox (*Turnix*) II: 454, 425
ventralis (*Gallinula*) II: 609, 624
venustus (*Platycercus*) IV: 364, 353
veredus (*Charadrius*) II: 877, 841
verrucosus (*Phalacrocorax*) I: 863, 884
versicolor (*Lichenostomus*) V: 754, 673
versicolor (*Pitta*) V: 106, 128
versicolor (*Psittacopterus*) IV: 221, 225
versicolor (*Strepera*) VII: 564, 513, 609
victoriae (*Ptiloris*) VII: 643, 640
violaceus (*Ptilonorhynchus*) VII: 888, 896
virescens (*Lichenostomus*) V: 740, 673
virgata (*Sterna*) III: 629, 640, 641
virginianus (*Colinus*) II: 424
viridis (*Sphocotheres*) VII: 380, 384
vitiensis (*Columba*) III: 846
vittata (*Melanodryas*) VI: 748, 704
vittata (*Oxyura*) I: 1141
vittata (*Pachyptila*) I: 515, 529
vittata (*Sterna*) III: 677, 640, 641
vulgaris (*Sturnus*) VII: 1906, 1849
wallicus (*Pezoporus*) IV: 592, 512
westlandica (*Procellaria*) I: 566, 561
whartoni (*Ducula*) III: 996, 992
whitei (*Conopophila*) V: 1099, 1025
woodwardi (*Amytornis*) V: 403, 416
woodwardi (*Colluricincla*) VI: 1185, 1121
Xanthomyza phrygia V: 573, 545
Xanthotis flaviventer V: 680, 640
macleayana V: 676, 640
Xenicus gilviventris V: 81, 96
longipes V: 76, 96
Xenus cinereus III: 165, 193
ypsilophora (*Coturnix*) II: 404, 385
zonarius (*Barnardius*) IV: 376, 385
Zoothera heinei VII: 1836, 1816
humulata VII: 1820, 1816
 ZOSTEROPIDAE VII: 1728
Zosterops albogularis VII: 1798, 1752
citrimellus VII: 1734, 1752
lateralis VII: 1745, 1753
luteus VII: 1737, 1752
natalis VII: 1730, 1752
strenuus VII: 1793, 1752
tenuirostris VII: 1794, 1752






1980


COMBINED INDEX TO ENGLISH NAMES

Roman numerals indicate volume number; page numbers facing the coloured plates are in **bold type**. We have added and cross-referenced any departures between HANZAB and Christidis & Boles (1994; RAOU *Monograph* 2; RAOU [Birds Australia], Melbourne), for example, noting for *Egretta* (used in Christidis & Boles for three species) to see *Ardea* (which used for these species in HANZAB).


Note that for Volume 1, Part A extends from page 1 to 736, and Part B from 737 to 1400; for Volume 7, Part A extends from page 1 to 1056 and Part B from 1057 to 1984.


- Albatross, Black-browed I: 290, 296
 Black-footed I: 290
 Buller's I: 330, 313
 Grey-headed I: 311, 305
 Light-mantled Sooty I: 346, 329
 Royal I: 282, 280, 281
 Shy I: 301, 297, 304
 Sooty I: 338, 328
 Wandering I: 265, 272, 273
 Yellow-nosed I: 322, 312
 Apostlebird VII: 797, 768
 Avocet, Red-necked II: 790, 776
 Babbler, Chestnut-crowned VI: 905, 864
 Grey-crowned VI: 861, 865
 Hall's VI: 899, 864
 White-browed VI: 881, 864
 Baza, Pacific II: 26, 40, 41
 Bee-eater, Rainbow IV: 1210, 1216
 Bellbird V: 1173, 1152
 Bellbird, Crested VI: 1064, 1056
 Bishop, Red VII: 1097
 Bittern, Australasian I: 1056, 1053
 Black I: 1049, 1053
 Little I: 1039, 1052
 New Zealand Little I: 1045
 Yellow I: 1047, 1052
 Blackbird, Common VII: 1844, 1817
 Blackcap VII: 1597
 Black-Cockatoo, Glossy IV: 52, 64
 Long-billed IV: 90, 97
 Red-tailed IV: 40, 65
 Short-billed IV: 78, 97
 Yellow-tailed IV: 66, 96
 Blue Bonnet IV: 400, 416
 Boatbill, Yellow-breasted VII: 37, 65
 Bobwhite, Northern II: 424
 Boobook, Southern IV: 852, 864
 Booby, Abbott's I: 791, 796, 797
 Brown I: 781, 757, 797
 Masked I: 763, 757, 797
 Red-footed I: 773, 796, 797
 Bowerbird, Fawn-breasted VII: 950, 865
 Golden VII: 860, 865
 Great VII: 936, 897
 Regent VII: 873, 896
 Satin VII: 888, 896
 Spotted VII: 915, 897
 Tooth-billed VII: 848, 865
 Western VII: 928, 897
 Bristlebird, Eastern VI: 95, 96
 Rufous VI: 114, 96
 Western VI: 108, 96
 Brolga II: 470, 456
 Bronze-Cuckoo, Gould's IV: 752, 736, 737
 Horsfield's IV: 713, 736, 737
 Little IV: 744, 736, 737
 Shining IV: 726, 736, 737
 Bronzewing, Brush III: 890, 881
 Common III: 881, 881
 Flock III: 896, 896
 Brown Creeper VI: 1041, 1025
 Brush-turkey, Australian II: 341, 368
 Budgerigar IV: 504, 512
 Bulbul, Red-vented VII: 1587
 Red-whiskered VII: 1589, 769
 Bullfinch VII: 1302
 Bunting, Cirl VII: 1457, 1368
 Ortolan VII: 1446
 Reed VII: 1446
 Bush-hen II: 538, 552
 Bushlark, Singing VII: 1021, 993
 Bustard, Australian II: 636, 625
 Butcherbird, Black VII: 482, 481
 Black-backed VII: 511, 512
 Grey VII: 490, 512
 Pied VII: 516, 481
 Button-quail, Black-breasted II: 448, 393
 Buff-breasted II: 445, 424
 Chestnut-backed II: 441, 424
 Little II: 454, 425
 Painted II: 433, 393
 Red-backed II: 426, 392
 Red-chested II: 461, 425
 Buzzard, Black-breasted II: 193, 72, 73
 White-eyed II: 162
 Calamanthus (see *Fieldwren*)
 Canary VII: 1302
 Cardinal, Common VII: 1446
 Cassowary, Southern I: 60, 57
 Catbird, Green VII: 838, 864
 Spotted VII: 827, 864
 Chaffinch, Common VII: 1305, 1273
 Chat, Crimson V: 1207, 1153
 Orange V: 1220, 1184, 1185
 White-fronted V: 1239, 1185
 Yellow V: 1229, 1184
 Chicken, Feral II: 364
 Greater Prairie II: 424
 Chough, White-winged VII: 775, 768
 Chowchilla VI: 850, 737
 Chukar II: 386, 369
 Cicadabird VII: 305, 257
 Cisticola, Golden-headed VII: 1712, 1561
 Zitting VII: 1700, 1561
 Cockatiel IV: 176, 161
 Cockatoo, Gang-gang IV: 94, 128
 Major Mitchell's IV: 154, 160
 Palm IV: 32, 64
 Sulphur-crested IV: 163, 160
 See also *Black-Cockatoo*
 Coot, Eurasian II: 625, 617
 Corella, Little IV: 144, 129
 Long-billed IV: 127, 129
 Western IV: 136, 129
 Cormorant, Black-faced (see *Shag, Black-faced*)
 Great I: 810, 829
 Little Black I: 830, 829
 Little Pied I: 902, 868
 Pied I: 819, 868
 Corncrake II: 537
 Coucal, Pheasant IV: 793, 769
 Crane, Australian II: 551, 553
 Australian Spotted (see *Australian*)
 Baillon's II: 544, 553
 Corn (see *Corncrake*)
 Red-legged II: 493, 488
 Red-necked II: 488, 488
 Ruddy II: 557, 584
 Spotless II: 559, 584
 Spotted (see *Australian*)
 White-browed II: 567, 584
 Crane, Sarus II: 480, 457
 Creeper, Brown VI: 1041, 1025
 Crow, House VII: 770, 737
 Little VII: 745, 737
 Torresian VII: 757, 737
 Cuckoo, African IV: 652
 Black-eared IV: 705, 736, 737
 Brush IV: 677, 673
 Channel-billed IV: 782, 769
 Chestnut-breasted IV: 688, 673
 Common IV: 652
 Fan-tailed IV: 692, 673
 Long-tailed IV: 773, 768
 Oriental IV: 653, 672
 Pallid IV: 662, 672
 See also *Bronze-Cuckoo*
 Cuckoo-Dove, Brown III: 866, 849
 Cuckoo-shrike, Barred VII: 286, 257
 Black-faced VII: 266, 256
 Ground VII: 317, 257
 White-bellied VII: 291, 256
 Curlew, Bristle-thighed III: 112, 129
 Eastern III: 117, 160
 Eurasian III: 116
 Little III: 95, 128
 Currawong, Black VII: 556, 513, 608
 Grey VII: 564, 513, 609
 Pied VII: 529, 513, 608
 Dabchick, New Zealand I: 107, 113
 Darter I: 798, 828
 Diving-Petrel, Common I: 724, 688
 South Georgian I: 719, 688
 Dollarbird IV: 1227, 1216
 Dotterel, Black-fronted (see *Black-fronted Plover*)
 Inland II: 884, 841
 New Zealand II: 818, 784
 Red-kneed II: 928, 872
 Dove, Barbary III: 864, 832
 Bar-shouldered III: 957, 849
 Diamond III: 942, 929
 Emerald III: 873, 880
 Peaceful III: 949, 929
 Rock III: 838, 832
 See also *Cuckoo-Dove, Fruit-Dove, Ground-Dove, Turtle-Dove*
 Dowitcher, Asian III: 206, 97
 Drongo, Spangled VII: 249, 225
 Duck, Argentine Ruddy I: 1141
 Australian Wood (see *Maned*)
 Blue I: 1255, 1229
 Blue-billed I: 1142, 1164
 Freckled I: 1160, 1165
 Hybrids I: 1332
 Maned I: 1240, 1165
 Musk I: 1152, 1164
 Pacific Black I: 1320, 1301
 Pink-eared I: 1247, 1237
 Wood (see *Maned*)
 See also *Whistling-Duck*
 Dunlin III: 308, 352, 353
 Dunnock VII: 1059, 1112
 Eagle, Gurney's II: 163, 232, 233
 Little II: 180, 105, 136, 137
 Wedge-tailed II: 164, 232, 233






- See also Sea-Eagle*
 Egret, Cattle I: 1017, 981
 Eastern Reef I: 1002, 980
 Great I: 967, 965
 Intermediate I: 978, 965
 Little I: 996, 981
 Swinhoe's I: 1002
 Emu I: 47, 56
 Kangaroo Island I: 59
 King Island I: 59
 Emu-wren, Mallee v: 381, 385
 Rufous-crowned v: 386, 385
 Southern v: 371, 385
 Fairy-wren, Blue-breasted v: 332, 384
 Lovely v: 327, 321
 Purple-crowned v: 261, 289
 Red-backed v: 361, 289
 Red-winged v: 339, 384
 Splendid v: 294, 320
 Superb v: 269, 320
 Variegated v: 310, 321, 384
 White-winged v: 348, 289
 Falcon, Black II: 299, 305, 320
 Brown II: 237, 305, 320
 Grey II: 291, 257, 264, 265
 New Zealand II: 279, 304
 Peregrine II: 307, 257, 264, 265
 Fantail, Grey VII: 174, 224
 Mangrove Grey VII: 14, 224
 Northern VII: 218, 224
 Rufous VII: 160, 224
 Fernbird VII: 1649, 1720
 Chatham Island VII: 1667
 Fernwren VI: 143, 161
 Fieldwren, Rufous VI: 258, 193
 Striated VI: 247, 193
 Figbird VII: 380, 384
 Fig-Parrot, Double-eyed IV: 261, 225
 Finch, Black-throated VII: 1148, 1144
 Bramble VII: 1302
 Crimson VII: 1167, 1145
 Double-barred VII: 1127, 1113
 Gouldian VII: 1290, 1272
 Long-tailed VII: 1139, 1144
 Masked VII: 1157, 1144
 Painted VII: 1243, 1145
 Plum-headed VII: 1188, 1113
 Red-browed VII: 1196, 1240
 Star VII: 1178, 1145
 Zebra VII: 1102, 1113
 See also Bullfinch, Chaffinch, Firetail, Goldfinch, Greenfinch, Hawfinch, Mannikin, Munia, Parrot-Finch
 Fireback, Crested II: 423
 Firetail, Beautiful VII: 1224, 1240
 Diamond VII: 1212, 1240
 Red-eared VII: 1235, 1240
 Fish-Owl, Buffy IV: 811
 Flamingo, Greater I: 1111
 Flowerpecker, Red-capped VII: 1491, 1528
 Flycatcher, Blue-and-white VII: 1817, 1848
 Broad-billed VII: 82, 96
 Leaden VII: 88, 96
 Lemon-bellied VI: 591, 608
 Narcissus VII: 1813, 1848
 Restless VII: 121, 97
 Satin VII: 104, 96
 Shining VII: 114, 97
 Sooty VII: 1813
 Yellow-legged VI: 600, 608
 See also Monarch
 Friarbird, Helmeted v: 529, 481
 Little v: 561, 544
 Noisy v: 546, 481
 Silver-crowned v: 538, 481
 Frigatebird, Christmas I: 928, 933, 948
 Great I: 913, 933, 948
 Least I: 921, 933, 948
 Lesser (*see Least*)
 Frogmouth, Marbled IV: 990, 993
 Papuan IV: 983, 993
 Tawny IV: 965, 992
 Fruit-Dove, Banded III: 970, 960
 Rose-crowned III: 986, 961
 Superb III: 980, 961
 Wompoo III: 974, 960
 Fulmar, Southern I: 376, 400
 Galah IV: 104, 128
 Gallinule, Purple II: 576, 585
 White II: 592
 Gannet, Australasian I: 751, 756
 Cape I: 749, 756
 Garganey I: 1335, 1237
 Gerygone, Brown VI: 308, 257
 Dusky VI: 345, 256
 Fairy VI: 391, 257
 Green-backed VI: 385, 257
 Large-billed VI: 376, 256
 Lord Howe VI: 374
 Mangrove VI: 351, 256
 Norfolk Island VI: 341, 288
 Rusty-tailed VI: 414
 Western VI: 360, 256
 White-throated VI: 399, 257
 See also Warbler
 Giant-Petrel, Northern I: 370, 369
 Southern I: 356, 368
 Gibberbird v: 1253, 1153
 Godwit, Bar-tailed III: 82, 97
 Black-tailed III: 68, 96
 Hudsonian III: 77, 96
 Golden Plover (*see Plover*)
 Goldfinch, European VII: 1328, 1273
 Goose, Canada I: 1189, 1197
 Cape Barren I: 1194, 1197
 Magpie I: 1114, 1132
 See also Pygmy-Goose
 Goshawk, Brown II: 134, 168, 169, 176
 Grey II: 122, 177
 Red II: 214, 192
 Grassbird, Little VII: 1638, 1720
 Tawny VII: 1629, 1720
 Grasshopper Warbler (*see Warbler*)
 Grasswren, Black v: 398, 416
 Carpentarian v: 409, 416
 Dusky v: 446, 448
 Eyrean v: 430, 417
 Grey v: 391, 416
 Kalkadoon v: 452, 448
 Short-tailed v: 426, 417
 Striated v: 414, 417
 Thick-billed v: 436, 448
 White-throated v: 403, 416
 Grebe, Australasian I: 92, 112
 Great Crested I: 115, 113
 Hoary-headed I: 100, 112
 Greenfinch, European VII: 1315, 1273
 Greenshank, Common III: 144, 193
 Nordmann's III: 152
 Ground-Dove, Norfolk Island III: 969
 Ground-Tyrant, Dark-faced v: 56
 Grouse, Black II: 423
 Sharp-tailed II: 423
 Willow II: 423
 Guineafowl, Helmeted II: 424
 Gull, Black-billed III: 545, 513, 545
 Black-headed III: 558, 513, 545
 Black-tailed III: 485, 480, 512
 Dolphin III: 470
 Franklin's III: 565, 544, 545
 Grey III: 489
 Hartlaub's III: 517
 Kelp III: 490, 480, 481
 Laughing III: 561, 544, 545
 Lesser Black-backed III: 516
 Olog's III: 484
 Pacific III: 471, 449, 480
 Sabine's III: 569, 512, 545
 Silver III: 517, 513, 545
 Hardhead I: 1351, 1317
 Harrier, Eastern Marsh II: 105
 Spotted II: 94, 193, 200, 201
 Swamp II: 105, 193, 200, 201
 Hawfinch VII: 1302
 Hawk-Owl, Brown IV: 875, 833
 Christmas Island IV: 879, 833
 Heathwren, Chestnut-rumped VI: 228, 192
 Shy VI: 238, 192
 Heron, Black-crowned Night I: 1028, 1021
 Great-billed I: 962, 964
 Grey I: 955
 Malay Night I: 1037, 1020
 Nankeen Night (*see Rufous Night*)
 Pacific I: 955, 964
 Pied I: 974, 1069
 Rufous Night I: 1030, 1021
 White-necked (*see Pacific*)
 Striated I: 1009, 1020
 White-faced I: 986, 980
 Hobby, Australian II: 268, 257, 264, 265
 Honeyeater, Banded v: 1126, 1057
 Bar-breasted v: 1078, 929
 Black v: 1133, 1057
 Black-chinned v: 897, 896
 Black-headed v: 948, 928
 Blue-faced v: 598, 544
 Bridled v: 715, 672
 Brown v: 970, 929
 Brown-backed v: 1071, 929
 Brown-headed v: 914, 928
 Crescent v: 998, 1056
 Dusky v: 1150, 929
 Eungella v: 720, 672
 Fuscous v: 858, 769
 Graceful v: 703, 641
 Green-backed v: 966, 640
 Grey v: 1099, 1025
 Grey-fronted v: 849, 768
 Grey-headed v: 834, 768
 Lewin's v: 685, 641
 Macleay's v: 676, 640
 Mangrove v: 759, 673
 New Holland v: 1009, 1024
 Painted v: 989, 545
 Pied v: 1143, 1057
 Purple-gaped v: 825, 768
 Red-headed v: 1158, 929
 Regent v: 573, 545
 Rufous-banded v: 1083, 1025
 Rufous-throated v: 1091, 1025
 Scarlet v: 1165, 929
 Singing v: 740, 673
 Spiny-cheeked v: 508, 480
 Striped v: 521, 545
 Strong-billed v: 908, 896
 Tawny-breasted v: 680, 640
 Tawny-crowned v: 1061, 1024
 Varied v: 754, 673
 White-cheeked v: 1039, 1024
 White-eared v: 778, 737
 White-fronted v: 1052, 1024
 White-gaped v: 763, 736
 White-lined v: 709, 736
 White-naped v: 935, 897
 White-plumed v: 879, 769
 White-streaked v: 985, 640
 White-throated v: 927, 897







1982 Combined Index to English Names


- Yellow v: 773, 736
 Yellow-faced v: 724, 672
 Yellow-plumed v: 840, 768
 Yellow-spotted v: 697, 641
 Yellow-throated v: 796, 737
 Yellow-tinted v: 872, 769
 Yellow-tufted v: 806, 737
 Huia VII: 1014
 Hylacola (see *Heathwren*)
 Ibis, Australian White I: 1078, 1100
 Glossy I: 1072, 1069
 Sacred (see *Australian White*)
 Straw-necked I: 1087, 1100
 White (see *Australian White*)
 Imperial-Pigeon, Christmas Island III: 996, 992
 Collared III: 999, 992
 Elegant III: 994, 992
 Pied III: 1001, 960
 Jabiru (see *Black-necked Stork*)
 Jacana, Comb-crested II: 688, 641
 Pheasant-tailed II: 675, 641
 Jackdaw VII: 671
 Jacky Winter VI: 577, 608
 Jaeger, Arctic III: 448, 385, 417, 448
 Long-tailed III: 459, 385, 417, 448
 Pomarine III: 438, 385, 417, 448
 Junglefowl, Green II: 423
 Red (see *Chicken, Feral*)
 Kaka IV: 623, 640
 Norfolk Island IV: 633
 Kakapo IV: 633, 641
 Kea IV: 613, 640
 Kestrel, Australian II: 253, 257, 264, 265
 Nankeen (see *Australian*)
 Kingbird, Eastern v: 56
 Kingfisher, Azure IV: 1097, 1120
 Collared IV: 1201, 1184
 Forest IV: 1159, 1153
 Little IV: 1105, 1120
 Red-backed IV: 1170, 1153
 Sacred IV: 1178, 1184
 Yellow-billed IV: 1155, 1153
 See also *Paradise-Kingfisher*
 King-Parrot, Australian IV: 269, 288
 Kite, Black II: 53, 104, 105, 136
 Black-shouldered II: 35, 40, 41
 Brahminy II: 63, 105, 136, 137
 Letter-winged II: 45, 40, 41
 Square-tailed II: 205, 72, 73
 Whistling II: 71, 104, 105, 136
 Kiwi, Brown I: 71, 72
 Great Spotted I: 86, 73
 Little Spotted I: 80, 73
 Knot, Great III: 224, 257
 Red III: 214, 257
 Koel, Common IV: 760, 768
 Kokako VII: 965, 992
 Kookaburra, Blue-winged IV: 1139, 1152
 Laughing IV: 1122, 1121
 Lapwing, Banded II: 935, 873
 Blacksmith II: 958
 Masked II: 943, 873
 Northern II: 958
 Leiophrax, Red-billed VII: 1597
 Linnets VII: 1302
 Logrunner VI: 841, 737
 Lorikeet, Little IV: 236, 256
 Musk IV: 228, 256
 Purple-crowned IV: 241, 256
 Rainbow IV: 195, 224
 Scaly-breasted IV: 212, 224
 Varied IV: 221, 225
 Lyrebird, Albert's v: 129, 129
 Superb v: 142, 224
 Magpie, Australian VII: 579, 609
 Magpie-lark VII: 134, 225
 Mallard I: 1313, 1301
 Malleefowl II: 331, 321
 Mannikin, Chestnut-breasted VII: 1261, 1241
 Nutmeg VII: 1250, 1241
 Pictorella VII: 1278, 1272
 Yellow-rumped VII: 1256, 1241
 See also *Munia*
 Manucode, Trumpet VII: 663, 641
 Martin, Asian House VII: 1583, 1529, 1560
 Fairy VII: 1568, 1529, 1560
 Sand VII: 1586
 Tree VII: 1553, 1529, 1560
 Meadowlark, Long-tailed VII: 1445
 Merganser, Auckland I: 1363
 Miner, Bell v: 609, 576
 Black-eared v: 664, 577
 Noisy v: 626, 576
 Yellow-throated v: 650, 577
 Mistletoebird VII: 1476, 1528
 Monal, Himalayan II: 423
 Monarch, Black-faced VII: 42, 64
 Black-winged VII: 50, 64
 Frisled VII: 71, 65
 Pied VII: 77, 65
 Spectacled VII: 54, 64
 White-eared VII: 64, 65
 Moorhen, Dusky II: 600, 617
 Munia, Black-headed VII: 1097
 Pale-headed VII: 1276, 1241
 Myna, Common VII: 1937, 769
 Hill VII: 1892
 Pale-bellied VII: 1892
 Native-hen, Black-tailed II: 609, 624
 Tasmanian II: 615, 624
 Needletail, White-throated IV: 1070, 1057
 Night Heron (see *Heron*)
 Nightingale, Common VII: 1802
 Nightjar, Large-tailed IV: 1024, 1024, 1025
 Savanna IV: 1032, 1024, 1025
 Spotted IV: 1013, 1024, 1025
 White-throated IV: 1003, 1024, 1025
 See also *Owlet-nightjar*
 Noddy, Black III: 801, 800, 801
 Common III: 789, 800, 801
 Lesser III: 812, 800, 801
 Oriole, Olive-backed VII: 366, 353
 Yellow VII: 359, 353
 Osprey II: 225, 256
 Ostrich I: 68
 Owl, Barking IV: 841, 833
 Barn IV: 930, 961
 Grass IV: 950, 961
 Laughing IV: 884
 Lesser Sooty IV: 902, 865
 Little IV: 812, 864
 Masked IV: 908, 960
 Powerful IV: 818, 832
 Rufous IV: 833, 832
 Sooty IV: 890, 865
 Tawny IV: 888
 See also *Fish-Owl, Hawk-Owl*
 Owlet-nightjar, Australian IV: 1037, 1025
 Oystercatcher, Chatham Island II: 734, 713
 Pied II: 716, 744
 Sooty II: 740, 744
 South Island Pied II: 727, 713
 Variable II: 748, 713
 Paradise-Kingfisher, Buff-breasted IV: 1113, 1120
 Common IV: 1112
 Parakeet, Antipodes Island IV: 469, 449
 Red-crowned IV: 475, 449
 Yellow-crowned IV: 492, 449
 Pardalote, Forty-spotted VI: 51, 65
 Red-browed VI: 60, 64
 Spotted, VI: 31, 64
 Striated VI: 69, 65
 Parrot, Blue-winged IV: 528, 544
 Bourke's IV: 521, 513
 Eclectus IV: 248, 257
 Elegant IV: 540, 544
 Golden-shouldered IV: 450, 448
 Ground IV: 592, 512
 Hooded IV: 458, 448
 Mulga IV: 441, 417
 Night IV: 606, 512
 Orange-bellied IV: 558, 545
 Paradise IV: 465, 448
 Princess IV: 306, 289
 Red-capped IV: 391, 384
 Red-cheeked IV: 255, 257
 Red-rumped IV: 425, 417
 Red-winged IV: 278, 288
 Regent IV: 295, 289
 Rock IV: 549, 545
 Scarlet-chested IV: 584, 513
 Superb IV: 287, 161
 Swift IV: 412, 256
 Turquoise IV: 573, 513
 See also *Fig-Parrot, King-Parrot*
 Parrot-Finch, Blue-faced VII: 1284, 1272
 Partridge, Barbary II: 422
 Grey II: 423
 Red-legged II: 422
 Peafowl II: 372
 Indian (see *Peafowl*)
 Pelican, Australian I: 738, 740
 Penguin, Adelie I: 158, 145
 Chinstrap I: 174, 145
 Emperor I: 136, 144
 Erect-crested I: 215, 209
 Fiordland I: 195, 209
 Gentoo I: 147, 208
 King I: 126, 144
 Little I: 246, 241
 Macaroni I: 222, 240
 Magellanic I: 259, 241
 Rockhopper I: 182, 240
 Royal I: 230, 240
 Snarcs I: 205, 209
 Yellow-eyed I: 236, 208
 Petrel, Antarctic I: 384, 400
 Barau's I: 475, 473
 Black I: 573, 561
 Black-winged I: 478, 489
 Blue I: 508, 528
 Bulwer's I: 554, 560
 Cape I: 391, 400
 Chatham I: 485, 489
 Cook's I: 488, 496
 Gould's I: 501, 497
 Great-winged I: 410, 401
 Grey I: 579, 592
 Herald I: 440, 465
 Juan Fernandez I: 468, 488
 Kerguelen I: 448, 472
 Kermadec I: 436, 464
 Magenta I: 429, 432
 Mottled I: 460, 473
 Phoenix I: 445, 433
 Providence I: 425, 401
 Pycroft's I: 497, 496
 Snow I: 402, 400
 Soft-plumaged I: 453, 472
 Stejneger's I: 494, 497
 Tahiti I: 432, 433
 Westland I: 566, 561





- White-chinned I: 557, 561
 White-headed I: 420, 432
 White-necked I: 470, 488
See also Diving-Petrel, Giant-Petrel, Storm-Petrel
 Phalarope, Grey III: 360, 369
 Red-necked III: 352, 369
 Wilson's III: 348, 256
 Pheasant, Common II: 377, 384
 Reeves's II: 423
 Silver II: 423
 Pigeon, Crested III: 903, 897
 Feral III: 838, 832
 New Zealand III: 1016, 993
 Partridge III: 927, 928
 Spinifex III: 912, 897
 Squatter III: 927, 928
 Topknot III: 1010, 833
 White-headed III: 847, 833
 White-throated III: 846
 Wonga III: 964, 880
See also Imperial-Pigeon, Rock-Pigeon
 Pilotbird VI: 125, 161
 Pintail, Brown I: 1303, 1300
 Eaton's I: 1306, 1300
 Northern I: 1301, 1300
 Piopio VII: 958, 992
 Pipit, Australasian VII: 1359, 1369
 Pechora VII: 1391, 1400
 Red-throated VII: 1395, 1400
 Richard's (*see Australasian*)
 South Georgia VII: 1389, 1369
 Tawny VII: 1400
 Pitta, Blue-winged V: 103, 128
 Noisy V: 106, 128
 Rainbow V: 117, 97
 Red-bellied V: 95, 97
 Plains-wanderer II: 649, 640
 Plover, American Golden II: 810
 Black-fronted II: 892, 872
 Caspian II: 876
 Double-banded II: 847, 801
 Eurasian Golden II: 811
 Greater Sand (*see Large Sand*)
 Grey II: 811, 777
 Hooded II: 902, 872
 Kentish II: 836, 800
 Large Sand II: 868, 840
 Lesser Sand (*see Mongolian*)
 Little Ringed II: 832, 785
 Mongolian II: 860, 840
 Oriental II: 877, 841
 Pacific Golden II: 800, 777
 Red-capped II: 836, 800
 Ringed II: 828, 785
 Shore II: 912, 784
 Three-banded II: 892
 Prairie Chicken (*see Chicken*)
 Pratincole, Australian III: 372, 384
 Oriental III: 366, 384
 Prion, Antarctic I: 526, 529
 Broad-billed I: 515, 529
 Fairy I: 541, 528
 Fulmar I: 550, 528
 Lesser Broad-billed (*see Salvin's*)
 Salvin's I: 521, 529
 Slender-billed I: 534, 528
 Pygmy-Goose, Cotton I: 1234, 1236
 Green I: 1229, 1236
 Quail, Brown II: 404, 385
 California II: 358, 369
 Common II: 423
 King II: 414, 392
 Mountain II: 424
 New Zealand II: 402
 Stubble II: 390, 385
See also Button-quail
 Quail-thrush, Chestnut VI: 967, 896
 Chestnut-breasted VI: 990, 897
 Cinnamon VI: 980, 897
 Quail-thrush, Spotted VI: 956, 896
 Rail, Buff-banded II: 495, 489
 Chatham Island II: 527
 Chestnut II: 571, 552
 Dieffenbach's II: 528
 Lewin's II: 529, 521
 Raven, Australian VII: 690, 736
 Forest VII: 717, 736
 Little VII: 729, 736
 Redpoll, Common VII: 1345, 1368
 Redshank, Common III: 144, 161
 Spotted III: 128, 161
 Redthroat VI: 269, 193
 Reed-Warbler, Australian VII: 1605, 1561
 Clamorous (*see Australian*)
 Oriental VII: 1623, 1561
 Reeve III: 341, 368
 Riflebird, Magnificent VII: 654, 641
 Paradise VII: 634, 640
 Victoria's VII: 643, 640
 Rifleman V: 60, 96
 Ringed Plover (*see Plover*)
 Ringneck, Australian IV: 376, 385
 Robin, Black VI: 725, 609
 Dusky VI: 748, 704
 Eastern Yellow VI: 770, 736
 European VII: 1802
 Flame VI: 666, 640
 Grey-headed VI: 818, 705
 Hooded VI: 732, 704
 Mangrove VI: 805, 704
 New Zealand VI: 706, 609
 Pale-yellow VI: 756, 705
 Pink VI: 696, 641
 Red-capped VI: 649, 640
 Rose VI: 684, 641
 Scarlet VI: 604, 609, 640
 Western Yellow VI: 789, 736
 White-breasted VI: 798, 736
 White-browed VI: 812, 705
 White-faced VI: 765, 705
See also Scrub-robin, Tomtit
 Rock-Pigeon, Chestnut-quilled III: 938, 896
 White-quilled III: 933, 896
 Rock-Thrush, Blue VII: 1805, 1816
 Rockwarbler VI: 135, 161
 Roller, Broad-billed IV: 1226
 Rook VII: 678, 737
 Rosella, Crimson IV: 321, 320, 321
 Eastern IV: 341, 352
 Green IV: 313, 320
 Northern IV: 364, 353
 Pale-headed IV: 356, 352, 353
 Western IV: 369, 384
 Ruff III: 341, 368
 Saddleback VII: 986, 992
 Sanderling III: 237, 288, 289
 Sandpiper, Baird's III: 283, 288, 289
 Broad-billed III: 333, 288, 289
 Buff-breasted III: 329, 321
 Common III: 173, 224
 Cooper's III: 307
 Cox's III: 307, 352, 353
 Curlew III: 315, 352, 353
 Green III: 158
 Hybrid *Calidris* III: 307, 352, 353
 Least III: 279
 Marsh III: 136, 192
 Pectoral III: 287, 321
 Semipalmated III: 245
 Sharp-tailed III: 295, 321
 Solitary III: 156, 224
 Stilt III: 326, 352, 353
 Terek III: 165, 193
 Upland III: 125, 128
 Western III: 246
 White-rumped III: 279, 288, 289
 Wood III: 158, 224
 Scaup, New Zealand I: 1358, 1317
 Scrub-bird, Noisy V: 183, 225
 Rufous V: 176, 225
 Scrubfowl, Orange-footed II: 323, 321
 Scrub-robin, Northern VI: 826, 737
 Southern VI: 830, 737
 Scrubtit VI: 221, 161
 Scrubwren, Atherton VI: 200, 160
 Large-billed VI: 205, 160
 Tasmanian VI: 191, 97
 Tropical VI: 215, 160
 White-browed VI: 161, 97
 Yellow-throated VI: 149, 160
 Sea-Eagle, White-bellied II: 81, 240, 241
 Shag, Antarctic I: 847, 884
 Auckland I: 885, 932
 Black-faced I: 896, 869
 Bounty I: 893, 932
 Campbell I: 889, 932
 Chatham I: 881, 885
 Crozet I: 857, 884
 Heard I: 854, 884
 Kerguelen I: 863, 884
 King I: 872, 885
 Macquarie I: 867, 884
 Pitt I: 844, 869
 South Georgian I: 851
 Spotted I: 838, 869
 Stewart I: 876, 885
See also Cormorant
 Shearwater, Audubon's I: 662, 664
 Buller's I: 603, 625
 Christmas I: 644, 560
 Cory's I: 586, 593
 Flesh-footed I: 609, 624
 Fluttering I: 649, 657
 Great I: 619, 592
 Hutton's I: 655, 657
 Little I: 666, 664
 Manx I: 646, 657
 Pink-footed I: 616, 625
 Short-tailed I: 632, 656
 Sooty I: 622, 656
 Streaked I: 589, 593
 Wedge-tailed I: 593, 624, 625
 Sheathbill, Black-faced II: 684, 680
 Pale-faced II: 677, 680
 Shelduck, Australian I: 1210, 1228
 Paradise I: 1202, 1229
 Radjah I: 1218, 1228
 Shoveler, Australasian I: 1340, 1316
 Northern I: 1348, 1316
 Shrike, Brown VII: 818, 769
 Red-backed VII: 822
 Shrike-thrush, Bower's VI: 1180, 1121
 Grey VI: 1189, 1152
 Little VI: 1169, 1121
 Sandstone VI: 1185, 1121
 Shrike-tit, Crested VI: 1050, 1056
 Silvereye VII: 1745, 1753
 Siskin VII: 1302
 Sittella, Varied VI: 1000, 1024
 Skua, Great III: 388, 385, 416
 South Polar III: 412, 385, 416
 Skylark VII: 1039, 993
 Snipe, Chatham Island III: 47, 65
 Latham's III: 21, 64
 New Zealand III: 54, 65
 Painted II: 658, 640
 Pin-tailed III: 38, 64
 Swinhoe's III: 42, 64





1984 Combined Index to English Names

- Unidentified III: 47
 Songlark, Brown VII: 1686, 1721
 Rufous VII: 1674, 1721
 Sparrow, Eurasian Tree VII: 1089, 1112
 House VII: 1070, 1112
 Java VII: 1270, 1112
 Sparrowhawk, Collared II: 150, 168, 169, 176
 Spinebill, Eastern V: 1104, 1056
 Western V: 1118, 1056
 Spinifexbird VII: 1667, 1720
 Spoonbill, Royal I: 1095, 1101
 Yellow-billed I: 1104, 1101
 Starling, Common VII: 1906, 1849
 Metallic VII: 1896, 1849
 Purple-backed VII: 1934, 1849
 Rose-backed VII: 1936
 Singing VII: 1903, 1849
 Tasman VII: 1895
 Stilt, Banded II: 780, 776
 Black II: 769, 745
 Black-winged II: 758, 745
 Stint, Little III: 250, 289, 320
 Long-toed III: 270, 289, 320
 Red-necked III: 258, 289, 320
 Stitchbird V: 954, 1152
 Stone-curlew (*see Thick-knee*)
 Stork, Black-necked I: 1064, 1068
 White I: 1064
 Storm-Petrel, Black-bellied I: 700, 681
 Grey-backed I: 686, 680
 Leach's I: 713, 665
 Matsudaira's I: 717, 665
 White-bellied I: 706, 681
 White-faced I: 692, 680
 Wilson's I: 675, 665
 Sunbird, Yellow-bellied VII: 1464, 1528
 Swallow, Barn VII: 1508, 1529, 1560
 Chilean VII: 1585
 Pacific VII: 1548
 Red-rumped VII: 1549, 1529, 1560
 Welcome VII: 1517, 1529, 1560
 White-backed VII: 1499, 1529, 1560
 Swampphen, Purple II: 577, 616
 Swan, Black I: 1178, 1196
 Mute I: 1175, 1196
 Swift, Common IV: 1081
 Fork-tailed IV: 1081, 1057
 House IV: 1090, 1057
 See also Needletail
 Swiftlet, Glossy IV: 1052, 1056
 Uniform IV: 1067, 1056
 White-rumped IV: 1058, 1056
 Takahē II: 593, 616
 Tanager, Summer VII: 1446
 Tattler, Grey-tailed III: 180, 225
 Wandering III: 188, 225
 Teal, Auckland I: 1295, 1253
 Blue-winged I: 1339
 Brown I: 1289, 1253
 Campbell I: 1300
 Chestnut I: 1281, 1252
 Chilean I: 1263
 Grey I: 1266, 1252
 Tern, Antarctic III: 677, 640, 641
 Arctic III: 668, 640, 641
 Black III: 785, 704, 705
 Black-fronted III: 699, 640, 641
 Black-naped III: 645, 608, 609
 Bridled III: 738, 673
 Caspian III: 586, 576
 Common III: 655, 608, 609
 Crested III: 605, 577
 Fairy III: 725, 672
 Gull-billed III: 576, 576
 Kerguelen III: 692, 640, 641
 Lesser Crested III: 597, 577
 Little III: 709, 672
 Roseate III: 621, 608, 609
 Saunders's III: 724
 Sooty III: 752, 673
 Whiskered III: 765, 704, 705
 White III: 825, 800, 801
 White-fronted III: 632, 608, 609
 White-winged Black III: 776, 704, 705
 Ternlet, Grey III: 818, 800, 801
 Thick-knee, Beach II: 708, 712
 Bush II: 696, 681
 Thornbill, Brown VI: 418, 289
 Buff-rumped VI: 482, 449
 Chestnut-rumped VI: 458, 448
 Inland VI: 437, 448
 Mountain VI: 414, 289
 Slaty-backed VI: 468, 448
 Slender-billed VI: 496, 449
 Striated VI: 535, 480
 Tasmanian VI: 451, 289
 Western VI: 475, 449
 Yellow VI: 525, 480
 Yellow-rumped VI: 506, 449
 Thrush, Bassian VII: 1802, 1816
 Hermit VII: 1802
 Island VII: 1870, 1817
 Russet-tailed VII: 1836, 1816
 Song VII: 1877, 1817
 See also Rock-Thrush
 Tomtit, New Zealand VI: 629, 609
 Treecreeper, Black-tailed V: 242, 288
 Brown V: 228, 257
 Red-browed V: 219, 256
 Rufous V: 247, 288
 White-browed V: 212, 257
 White-throated V: 197, 256
 Triller, Long-tailed VII: 353
 Varied VII: 344, 352
 White-winged VII: 325, 352
 Tropicbird, Red-tailed I: 935, 949
 White-tailed I: 945, 949
 Tui V: 1191, 1152
 Turkey, Feral II: 354
 Wild (*see Feral*)
 Turnstone, Ruddy III: 194, 256
 Turtle-Dove, Laughing III: 852, 848
 Spotted III: 856, 848
 Twite VII: 1302
 Tyrant (*see Ground-Tyrant*)
 Wagtail, Black-backed VII: 1436, 1400
 Citrine VII: 1415, 1401
 Grey VII: 1422, 1401
 White VII: 1426, 1400
 Willie VII: 225, 97
 Yellow VII: 1401, 1401
 Warbler, Arctic VII: 1601, 1720
 Chatham Island VI: 334, 288
 Gray's Grasshopper VII: 1629
 Grey VI: 319, 288
 Speckled VI: 278, 192
 Willow VII: 1600
 See also Gerygone, Reed-Warbler, Rockwarbler
 Watercock II: 575, 585
 Wattlebird, Little V: 489, 480
 Red V: 463, 449
 Western V: 503, 480
 Yellow V: 482, 449
 Weaver, Golden VII: 1097
 Wedgebill, Chiming VI: 949, 865
 Chirruping VI: 942, 865
 Weebill VI: 292, 480
 Weka II: 506, 520
 Wheatear, Isabelline VII: 1809, 1848
 Mountain VII: 1809
 Whimbrel III: 103, 129
 Whippbird, Eastern VI: 915, 865
 Western VI: 929, 865
 Whistler, Gilbert's VI: 1092, 1120
 Golden VI: 1100, 1057
 Grey VI: 1130, 1089
 Mangrove Golden VI: 1122, 1057
 Olive VI: 1075, 1088
 Red-lore VI: 1084, 1120
 Rufous VI: 1137, 1089
 White-breasted VI: 1162, 1089
 Whistling-Duck, Plumed I: 1127, 1133
 Wandering I: 1134, 1133
 White-eye, Christmas Island VII: 1730, 1752
 Pale VII: 1734, 1752
 Robust VII: 1793, 1752
 Slender-billed VII: 1794, 1752
 White-chested VII: 1798, 1752
 Yellow VII: 1737, 1752
 See also Silvereye
 Whiteface, Banded VI: 568, 481
 Chestnut-breasted VI: 561, 481
 Southern VI: 550, 481
 Whitehead VI: 1023, 1025
 Whitethroat VII: 1597
 Widowbird, White-winged VII: 1097
 Wigeon, Chiloe I: 1263, 1253
 Winter, Jacky VI: 577, 608
 Woodhen II: 520, 489
 Woodswallow, Black-faced VII: 438, 480
 Dusky VII: 453, 480
 Little VII: 473, 480
 Masked VII: 412, 385
 White-breasted VII: 399, 385
 White-browed VII: 424, 385
 Wren, Bush V: 76, 96
 Rock V: 81, 96
 Stephens Island V: 90
 See also Emu-wren, Fairy-wren, Fieldwren, Grasswren, Heathwren, Scrubwren
 Wrybill II: 919, 801
 Wydah (*see Widowbird*)
 Yellowhammer VII: 1449, 1368
 Yellowhead VI: 1032, 1025
 Yellowlegs, Lesser III: 153, 192

